

ASUS ProArt PA32UCE computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LED Black

Brand : ASUS

Product family: ProArt

Product code: 90LM03H0-B02K70

Product name : PA32UCE

- 31.5-inch 4K (3840 x 2160) LuxPixel™ AGLR display with 178° wide-view IPS panel
 - Wide 98% DCI-P3 and 100% sRGB gamut to meet international color standards along with industry-leading Delta E < 1 color accuracy
 - Built-in colorimeter supports Self / Auto calibration, as well as Calman and Light Illusion ColourSpace CMS professional calibration software
 - ASUS Light Sync solution with Ambient Light Sensor and Backlight Sensor to ensure reliable color performance
 - Extensive connectivity including DisplayPort™ over USB-C® with 96-watt Power Delivery, DisplayPort™ (Daisy-chaining), HDMI® and USB hub
 - Built-in Auto KVM allows for effortless switching between two connected laptops or PCs with a single keyboard and mouse
 - Eco-friendly with sustainable paper packaging and energy-efficient performance
- ProArt Display PA32UCE Professional 4K Monitor (32 inches, 3840 x 2160 LuxPixel AGLR, IPS Panel, HDR-10, 600 nits, 98% DCI-P3, Delta E<1 color accuracy, Light Sync, USB-C, DisplayPort, HDMI)



| Display | | Ports & interfaces | |
|------------------------------------|-----------------------|---------------------------------|--------------|
| Display diagonal * | 80 cm (31.5") | DisplayPort version | 1.4 |
| Display resolution * | 3840 x 2160 pixels | Headphone out * | ✓ |
| HD type * | 4K Ultra HD | Headphone outputs | 1 |
| Native aspect ratio * | 16:9 | Headphone connectivity | 3.5 mm |
| Display technology * | LED | Built-in KVM switch | ✓ |
| Panel type * | IPS | HDCP | ✓ |
| LED backlight | ✓ | HDCP version | 2.2 |
| Touchscreen * | ✗ | Ergonomics | |
| Display brightness (peak) | 600 cd/m² | VESA mounting * | ✓ |
| Display brightness (typical) | 600 cd/m² | Panel mounting interface | 100 x 100 mm |
| Response time * | 5 ms | Wall mountable | ✓ |
| Response time measurement type | GTG (Gray to Gray) | Cable lock slot * | ✓ |
| Anti-glare screen | ✓ | Cable lock slot type | Kensington |
| Screen shape * | Flat | Height adjustment * | ✓ |
| Contrast ratio (typical) * | 1000:1 | Adjustable height (max) | 12 cm |
| Maximum refresh rate * | 60 Hz | Pivot | ✓ |
| Viewing angle, horizontal | 178° | Pivot angle | -90 - 90° |
| Viewing angle, vertical | 178° | Swivelling | ✓ |
| Display number of colours * | 1.073 billion colours | Swivel angle range | -30 - 30° |
| Pixel pitch | 0.182 x 0.182 mm | Tilt adjustment | ✓ |
| Pixel density | 140 ppi | Tilt angle range | -5 - 23° |
| Viewable size, horizontal | 69.7 cm | Picture-in-Picture | ✓ |
| Viewable size, vertical | 39.2 cm | On Screen Display (OSD) | ✓ |
| Digital horizontal frequency | 15 - 135 kHz | Power | |
| Digital vertical frequency | 48 - 60 Hz | Energy efficiency class (SDR) * | D |
| High Dynamic Range (HDR) supported | ✓ | Energy efficiency class (HDR) * | G |

| Display | | Power | |
|---------------------------------------|---|---|--|
| High Dynamic Range (HDR) technology | DisplayHDR 600, High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG) | Energy consumption (SDR) per 1000 hours * | 21 kWh |
| Colour depth | 10 bit | Energy consumption (HDR) per 1000 hours * | 34 kWh |
| Colour gamut standard | DCI-P3, sRGB | Power consumption (typical) * | 25.64 W |
| sRGB coverage (typical) | 100% | Power consumption (standby) * | 0.5 W |
| DCI-P3 coverage | 98% | Power consumption (off) | 0 W |
| Performance | | Power consumption (PowerSave) | 0.5 W |
| NVIDIA G-SYNC * | ✗ | AC input voltage | 100 - 240 V |
| AMD FreeSync * | ✗ | AC input frequency | 50/60 Hz |
| VESA Adaptive Sync support | ✓ | Power supply type | Internal |
| Flicker-free technology | ✓ | Energy efficiency scale | A to G |
| Low Blue Light technology | ✓ | European Product Registry for Energy Labelling (EPREL) code | 2153206 |
| Multimedia | | Weight & dimensions | |
| Number of speakers | 2 | Width (with stand) | 714.2 mm |
| RMS rated power | 4 W | Depth (with stand) | 240 mm |
| Built-in speaker(s) * | ✓ | Height (with stand) | 617.9 mm |
| Built-in camera * | ✗ | Weight (with stand) | 8.9 kg |
| Design | | Width (without stand) | 714.2 mm |
| Market positioning * | Graphics design | Depth (without stand) | 46.8 mm |
| Product colour * | Black | Height (without stand) | 438.2 mm |
| Detachable stand | ✓ | Weight (without stand) | 5.8 kg |
| Feet colour | Black | Packaging data | |
| Ports & interfaces | | Package width | 900 mm |
| Built-in USB hub * | ✓ | Package depth | 162 mm |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) | Package height | 515 mm |
| USB Type-A downstream ports quantity | 2 | Package weight | 14.1 kg |
| USB Type-C downstream ports quantity | 1 | Package type | Box |
| USB Type-C DisplayPort Alternate Mode | ✓ | Packaging content | |
| USB Power Delivery (USB PD) | ✓ | Stand included | ✓ |
| USB Power Delivery up to | 96 W | Sustainability | |
| HDMI * | ✓ | Sustainability certificates | ENERGY STAR, EPEAT Gold, Forest Stewardship Council (FSC) Mix |
| HDMI ports quantity | 2 | Other features | |
| HDMI version | 2.1 | Certification | Energy Star EPEAT Gold TÜV Flicker-free TÜV Low Blue Light VESA DisplayHDR 600 Calman Ready FSC MIX Mac Compliance |
| DisplayPorts quantity | 2 | | |



4711387717479



0197105717466



197105717466



0197105717473



197105717473

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.