
Yealink

Yealink SIP-T53 IP phone Grey 8 lines LCD

Brand : Yealink **Product code:** 1301086

Product name: SIP-T53





Design		Audio	
Product type * Handset type Product colour * Keypad illumination	IP Phone Wired handset Grey ✓	Speakerphone * Microphone mute Voice codecs	√ √ G.722, G.723.1, G.726, G.729A, G.729B, OPUS, iLBC
Mounting	Desk/Wall	Voice activity detection	✓
Performance DECT connectable Dual-Tone Multi-Frequency (DTMF) modes	✓ In-band, Out-of band, SIP info	Adaptive jitter buffers Automatic gain control Comfort noise generation (CNG) Packet loss concealment (PLC)	4 4 4
Phone features		Network	
Lines quantity * Answering machine Call waiting Speed dialling Call hold Call forwarding Conference call Redialing	8 lines	Ethernet LAN * Ethernet LAN interface type Wi-Fi * Bluetooth * Supported network protocols Quality of Service (QoS) support Security algorithms Networking standards	Gigabit Ethernet X FTP/TFTP/HTTP/HTTPS AES, HTTPS, SIPS IEEE 802.1p, IEEE 802.1x, IEEE 802.3af
Do not disturb function	1	Ports & interfaces	
Caller ID * Phonebook capacity * Call park Call pick up Anonymous call	USB 2.0 ports quantity Ethernet LAN (RJ-45) ports RJ-9 ports quantity DC-in jack	1 2 2	
Anonymous call rejection	,	Power	
Full duplex Short Message Service (SMS) Phonebook sharing Number of VoIP accounts * Call return	ounts * 12	Power over Ethernet (PoE) * AC adapter input voltage AC adapter output voltage AC adapter output current Power consumption (typical)	100 - 240 V 5 V 1.2 A 2.3 W
Call transfer Call history	1	Operational conditions	
Management features	•	Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 10 - 95%
Integrated voicemail	√ Duttons	Weight & dimensions	
Volume control Number of programmable keys	Buttons 8	Width	212 mm
Display		Depth Height	210.6 mm 174.5 mm
Display	LCD	Packaging content	
Display diagonal Display resolution Touchscreen * Backlight display	9.4 cm (3.7") 360 x 160 pixels	Quick start guide Number of handles included * Number of DECT wireless handsets Cables included	1 pc(s) 4 LAN (RJ-45)

Ca		

Front camera

×





6938818303195

0841885104304



841885104304

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.