



TP-Link Archer AXE95 wireless router 2.5 Gigabit Ethernet Tri-band (2.4 GHz / 5 GHz / 6 GHz) Black

Brand : TP-Link

Product family: Archer

Product code: ARCHER AXE95

Product name : AXE95

AXE7800 Tri-Band Wi-Fi 6E Router

TP-Link Archer AXE95. WAN connection type: RJ-45. Wi-Fi band: Tri-band (2.4 GHz / 5 GHz / 6 GHz), Top Wi-Fi standard: Wi-Fi 6E (802.11ax), WLAN data transfer rate (max): 2402 Mbit/s. Ethernet LAN interface type: 2.5 Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000,2500 Mbit/s, Networking standards: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Security algorithms: WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3, Firewall security: SPI Firewall, NAT functionality: Port Forwarding Port Triggering DMZ UPnP Virtual Server. Management protocols: Tether App, Webpage, Supported network protocols: IPv4, IPv6



| WAN connection | | Security | |
|---------------------------------------|--|-----------------------------------|---|
| Ethernet WAN * | ✓ | Security algorithms | WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3 |
| DSL WAN * | ✗ | Firewall | ✓ |
| SIM card slot * | ✗ | Firewall security | SPI Firewall |
| 3G/4G USB modem compatibility * | ✗ | Guest access | ✓ |
| WAN connection type | RJ-45 | Stateful Packet Inspection (SPI) | ✓ |
| Wireless LAN features | | Parental control | ✓ |
| Wi-Fi band * | Tri-band (2.4 GHz / 5 GHz / 6 GHz) | DDoS protection | ✓ |
| Top Wi-Fi standard * | Wi-Fi 6E (802.11ax) | Filtering | ✓ |
| WLAN data transfer rate (max) * | 2402 Mbit/s | IGMP snooping | ✓ |
| Wi-Fi standards | 802.11a, 802.11b, Wi-Fi 4 | DMZ support | ✓ |
| | (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax) | Network address translation (NAT) | ✓ |
| WLAN data transfer rate (first band) | 2402 Mbit/s | NAT functionality | Port Forwarding Port Triggering DMZ UPnP Virtual Server |
| WLAN data transfer rate (second band) | 4802 Mbit/s | Protocols | |
| WLAN data transfer rate (third band) | 574 Mbit/s | DHCP client | ✓ |
| Network | | Universal Plug and Play (UPnP) | ✓ |
| Ethernet LAN * | ✓ | Management protocols | Tether App, Webpage |
| Ethernet LAN interface type * | 2.5 Gigabit Ethernet | Supported network protocols | IPv4, IPv6 |
| Ethernet LAN data rates | 10,100,1000,2500 Mbit/s | Design | |
| Networking standards | IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n | Product colour | Black |
| | | On/off switch | ✓ |
| Port forwarding | ✓ | Product type * | Tabletop router |
| Port triggering | ✓ | Certificates | |
| Dynamic DNS (DDNS) | ✓ | Certification | FCC, RoHS |
| Number of guest networks (2.4 GHz) | 1 | | |

| Network | | Packaging content | |
|---|--|-----------------------------------|--|
| Number of guest networks (5 GHz) | 1 | Cables included | LAN (RJ-45) |
| Number of guest networks (6 GHz) | 1 | AC adapter included | ✓ |
| Support Samba (storage) | ✓ | Quick installation guide | ✓ |
| VPN server | OpenVPN Server, PPTP VPN Server, L2TP VPN Server | Packaging content | Wi-Fi Router Archer AXE95 Power Adapter RJ45 Ethernet Cable Quick Installation Guide |
| Media server | ✓ | | |
| VPN support | OpenVPN Server PPTP VPN Server L2TP VPN Server Open VPN Client PPTP VPN Client L2TP VPN Client | | |
| Ports & interfaces | | Antenna | |
| Ethernet LAN (RJ-45) ports * | 5 | Antenna design * | External |
| USB port * | ✓ | Antennas quantity | 8 |
| USB 2.0 ports quantity | 1 | Features | |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 1 | Built-in processor | ✓ |
| DC-in jack | ✓ | Processor frequency | 1700 MHz |
| | | Processor cores | 4 |
| | | Firmware upgradeable | ✓ |
| Management features | | Power | |
| Quality of Service (QoS) support | ✓ | Power source type * | DC |
| Reset button | ✓ | Output voltage | 12 V |
| MU-MIMO technology | ✓ | Output current | 3.3 A |
| Cloud-managed | ✓ | Operational conditions | |
| | | Operating temperature (T-T) | 0 - 40 °C |
| | | Operating relative humidity (H-H) | 10 - 90% |
| | | Weight & dimensions | |
| | | Width | 311 mm |
| | | Depth | 207 mm |
| | | Height | 174 mm |



4897098687499

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.