## TP-Link Archer AXE95 wireless router 2.5 Gigabit Ethernet Triband (2.4 GHz / 5 GHz / 6 GHz) Black





**Brand**: TP-Link **Product family:** Archer **Product code:** ARCHER AXE95

**Product name:** AXE95

## AXE7800 Tri-Band Wi-Fi 6E Router

TP-Link Archer AXE95. WAN connection type: RJ-45. Wi-Fi band: Tri-band (2.4 GHz / 5 GHz / 6 GHz), Top Wi-Fi standard: Wi-Fi 6E (802.11ax), WLAN data transfer rate (max): 2402 Mbit/s. Ethernet LAN interface type: 2.5 Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000,2500 Mbit/s, Networking standards: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Security algorithms: WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3, Firewall security: SPI Firewall, NAT functionality: Port Forwarding Port Triggering DMZ UPnP Virtual Server. Management protocols: Tether App, Webpage, Supported network protocols: IPv4, IPv6

| WAN connection                        |  | Security                               |  |
|---------------------------------------|--|--|--|
| Ethernet WAN *                        | ✓  | Security algorithms                    | WPA, WPA-Enterprise, WPA2, WPA2-                                     |
| DSL WAN *                             | ×  | , ,                                    | Enterprise, WPA3   |
| SIM card slot *                       | ×  | Firewall Firewall security             | SPI Firewall   |
| 3G/4G USB modem compatibility *       | ×  | Guest access                           | ✓  |
| WAN connection type                   | RJ-45  | Stateful Packet Inspection (SPI)       | -  |
| Wireless LAN features                 |  | Parental control                       | 1  |
| Wi-Fi band *                          | Tri-band (2.4 GHz / 5 GHz / 6 GHz)   |  | <b>/</b>   |
| Top Wi-Fi standard *                  | Wi-Fi 6E (802.11ax)  | DDoS protection                        | •  |
| WLAN data transfer rate (max) *       | 2402 Mbit/s  | Filtering                              | •  |
| Wi-Fi standards                       | 802.11a, 802.11b, Wi-Fi 4<br>(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi<br>6 (802.11ax), Wi-Fi 6E (802.11ax) | IGMP snooping                          | •  |
|                                       |  | DMZ support                            | •  |
| WLAN data transfer rate (first band)  |  | Network address translation (NAT)      | <b>✓</b>   |
| WLAN data transfer rate (second band) | 4802 Mbit/s  | NAT functionality                      | Port Forwarding Port Triggering<br>DMZ UPnP Virtual Server           |
| WLAN data transfer rate (third        | 574 Mbit/s   | Protocols                              |  |
| band)                                 | 374 Mulys  | DHCP client                            | ✓  |
| Network                               |  | Universal Plug and Play (UPnP)         | ✓  |
| Ethernet LAN *                        | ✓  | Management protocols                   | Tether App, Webpage  |
| Ethernet LAN interface type *         | 2.5 Gigabit Ethernet   | Supported network protocols            | IPv4, IPv6   |
| Ethernet LAN data rates               | 10,100,1000,2500 Mbit/s  | Design                                 |  |
| Networking standards                  | IEEE 802.11a, IEEE 802.11ac, IEEE<br>802.11ax, IEEE 802.11b, IEEE<br>802.11g, IEEE 802.11n             | Product colour                         | Black  |
|                                       |  | On/off switch                          | ✓  |
| Port forwarding                       | ✓  | Product type *                         | Tabletop router  |
| Port triggering                       | ✓  | Certificates                           |  |
| Dynamic DNS (DDNS)                    | ✓  | Certification                          | FCC, RoHS  |
| Number of guest networks (2.4 GHz)    | 1  | Packaging content                      |  |
| Number of guest networks (5 GHz)      | 1  | Cables included                        | LAN (RJ-45)  |
| Number of guest networks (6 GHz)      | 1  | AC adapter included                    | ✓  |
| Support Samba (storage)               | 1  | Quick installation guide               | ✓  |
| VPN server                            | OpenVPN Server, PPTP VPN Server,<br>L2TP VPN Server  | Packaging content                      | Wi-Fi Router Archer AXE95 Power<br>Adapter RJ45 Ethernet Cable Quick |
| Media server                          | ✓  |  | Installation Guide   |
| VPN support                           | OpenVPN Server PPTP VPN Server<br>L2TP VPN Server Open VPN Client<br>PPTP VPN Client L2TP VPN Client   | Antenna                                |  |
|                                       |  | Antenna design * Antennas quantity     | External<br>8  |
| Ports & interfaces                    |  | Features                               | -  |
| Ethernet LAN (RJ-45) ports *          | 5  |  |  |
| USB port *                            | ✓  | Built-in processor                     | <b>✓</b>   |
| USB 2.0 ports quantity                | 1  | Processor frequency<br>Processor cores | 1700 MHz<br>4  |

| Ports & interfaces                              |   | Features                           |            |
|---|---|------------------------------------|------------|
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 1 | Firmware upgradeable               | ✓          |
| DC-in jack                                      | ✓ | Power                              |            |
| Management features                             |   | Power source type * Output voltage | DC<br>12 V |
| Quality of Service (QoS) support                | ✓ | Output current                     | 3.3 A      |
| Reset button                                    | ✓ | Operational conditions             |            |
| MU-MIMO technology                              | ✓ | Operating temperature (T-T)        | 0 - 40 °C  |
| Cloud-managed                                   | ✓ | Operating relative humidity (H-H)  | 10 - 90%   |
|   |   | Weight & dimensions                |            |
|   |   | Width                              | 311 mm     |
|   |   | Depth                              | 207 mm     |
|   |   | Height                             | 174 mm     |



4897098687499

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.