

## DELL Pro 24 Plus USB-C Hub Monitor P2425E computer monitor 61.1 cm (24.1") 1920 x 1200 pixels WUXGA LCD Black

Brand: DELL Product code: DELL-P2425E

Product name: Pro 24 Plus USB-C Hub Monitor P2425E

- 61.1cm (24.07") WUXGA 1920 x 1200 LED IPS
- 8ms, 16:10, 300cd/m<sup>2</sup>, 1500:1
- USB, HDMI, DisplayPort

61.1cm (24.07") WUXGA 1920 x 1200 LED IPS, 16:10, 300cd/m², 16.7M, 8ms, 178°/178°, 1500:1

DELL Pro 24 Plus USB-C Hub Monitor P2425E computer monitor 61.1~cm (24.1") 1920 x 1200 pixels WUXGA LCD Black:

Certified by TÜV for 4-star eye comfort, this 16:10 hub monitor offers enhanced visual comfort and offers up to 90W of power delivery.

DELL Pro 24 Plus USB-C Hub Monitor P2425E. Display diagonal: 61.1 cm (24.1"), Display resolution: 1920 x 1200 pixels, HD type: WUXGA, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black





Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * LED backlight Backlight type Touchscreen *	61.1 cm (24.1") 1920 x 1200 pixels WUXGA 16:10 LCD IPS  LED	Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD) Plug and Play LED indicators	-90 - 90°  -45 - 45°  -5 - 21°
Display brightness (typical)	300 cd/m <sup>2</sup>	Power	
Response time *	8 ms	Energy efficiency class (SDR) * Energy efficiency class (HDR) *	D Not available
Anti-glare screen Screen shape *	Flat	Energy consumption (SDR) per 1000 hours *	
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 1200, 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)	Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off)	15 W 0.3 W 190 W 0.3 W
Supported video modes	480p, 576p, 720p, 1080p	AC input voltage	100 - 240 V
Contrast ratio (typical) *	1500:1	AC input frequency	50/60 Hz
Maximum refresh rate *	100 Hz	Input current	2 A
Viewing angle, horizontal	178°	Power supply type	Internal
Viewing angle, vertical	178°	Energy efficiency scale	A to G
Display number of colours * Response time (fast)	16.7 million colours 5 ms	European Product Registry for Energy Labelling (EPREL) code	1870769
Pixel pitch	0.27 x 0.27 mm	Operational conditions	
Pixel density	94.07 ppi	Operating temperature (T-T)	0 - 40 °C
Horizontal scan range	30 - 122 kHz	Storage temperature (T-T)	-20 - 60 °C
Vertical scan range	48 - 100 Hz	Operating relative humidity (H-H)	10 - 80%

Display		Operational conditions	
Viewable size, horizontal	51.8 cm	Storage relative humidity (H-H)	5 - 90%
Viewable size, vertical	32.4 cm	Operating altitude	0 - 5000 m
Viewable size diagonal	61.1 cm	Non-operating altitude	0 - 12192 m
Surface hardness	3H	Weight & dimensions	
sRGB coverage (typical)  Dell ComfortView technology	99% <b>✓</b>	Width (with stand)	531.8 mm
3,	•	Depth (with stand)	181.8 mm
Performance		Height (with stand)	364 mm
NVIDIA G-SYNC *	×	Weight (with stand)	5.02 kg
AMD FreeSync *	×	Width (without stand) Depth (without stand)	531.8 mm 50 mm
Flicker-free technology	✓	Height (without stand)	343.7 mm
Low Blue Light technology	✓	Weight (without stand)	3.51 kg
Windows operating systems	Windows 10, Yes	Bezel width (side)	6.7 mm
supported  Mac operating systems supported	MacOS	Bezel width (top)	6.7 mm
. 55	MacOS	Bezel width (bottom)	1.3 cm
Multimedia		Packaging data	
Built-in speaker(s) *	X	Package weight	7.12 kg
Built-in camera *	X	USB cable length	1 m
Design		Packaging content	
Product colour *	Black	Stand included	<b>✓</b>
Front bezel colour	Black	Cables included	AC, DisplayPort, USB
Feet colour	Grey	Quick start guide	✓
Ports & interfaces		DisplayPort cable length	1.8 m
Built-in USB hub *	✓	Sustainability	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	•	1
Number of USB Type-C upstream	1	Sustainability compliance Sustainability certificates	✓ ENERGY STAR, TCO
ports quantity	-	Doesn't contain	Arsenic, Mercury, PVC/BFR
USB Type-A downstream ports quantity	3		ruselle, Meredry, 1 ve/s/11
USB Type-C downstream ports	1	Carbon footprint  Tetal carbon footprint (kg of CO2a)	170
quantity	-	Total carbon footprint (kg of CO2e) Carbon emissions, manufacturing	179
USB Type-C DisplayPort Alternate Mode	✓	(kg of CO2e)	87.173
USB Power Delivery (USB PD)	<b>✓</b>	Carbon emissions, logistics (kg of	13.425
USB Power Delivery up to	90 W	CO2e)  Carbon emissions, energy usage (kg	
HDMI *	✓	of CO2e)	73.748
HDMI ports quantity	1	Carbon emissions, end-of-life (kg of CO2e)	4.654
HDMI version	1.4	Total carbon emissions, w/o use	105.050
DisplayPorts quantity DisplayPort version	2 1.4	phase (kg of CO2e)	105.252
Headphone out *	1.4 X	PAIA version	GaBi version 1, 2024
HDCP	^ ✓	Other features	
HDCP version	1.4	RJ-45 ports quantity	1
AC (power) in	1.4 ✓	Compliance certificates	RoHS, TÜV mark
·		Brand-specific features	
Ergonomics		Dell Display Manager (DDM)	<b>✓</b>
VESA mounting *	<b>/</b>	compatibility	•
Panel mounting interface	100 x 100 mm		
Cable management	<b>V</b>		
Cable lock slot *	Vancinatas		
Cable lock slot type	Kensington		
Height adjustment * Adjustable height (max)	<b>✓</b>		
ACHISTADIE DEIGNE (MAY)			
Pivot	15 cm ✓		





5397184821688

0884116468653



884116468653

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.