



APC BR1000MS uninterruptible power supply (UPS) Line-Interactive 1 kVA 600 W 10 AC outlet(s)

Brand : APC

Product code: BR1000MS

Product name : BR1000MS

- Alarm notification
- Audible alarms
- Automatic self-test
- Battery replacement without tools
- Boost and Trim Automatic Voltage Regulation (AVR)
- Building Wiring Fault Indicator
- Catastrophic Event Protection
- Dataline surge protection
- EMI and RFI noise filtering
- ENERGY STAR for UPS
- Hot-swappable batteries
- LCD graphics display
- Lifetime data recovery warranty
- PowerChute Personal Edition OS Compatibility
- RoHS
- Sine wave output
- USB charging ports
- User-replaceable batteries

600 W, 120V, 60Hz, 10x NEMA 5-15R, USB, LCD, 260x100x368 mm


[APC BR1000MS uninterruptible power supply \(UPS\) Line-Interactive 1 kVA 600 W 10 AC outlet\(s\):](#)

Back UPS PRO BR 1000VA, SineWave, 10 Outlets, 2 USB Charging Ports, AVR, LCD interface




Features		Design	
UPS topology *	Line-Interactive	Product colour *	Black
Output power capacity *	1 kVA	Display type	LCD
Output power *	600 W	Operational conditions	
Waveform *	Sine	Operating temperature (T-T)	0 - 40 °C
Input operation voltage (min) *	88 V	Storage temperature (T-T)	-15 - 45 °C
Input operation voltage (max) *	147 V	Operating relative humidity (H-H)	0 - 95%
Input frequency *	60 Hz	Storage relative humidity (H-H)	0 - 95%
Output frequency	60 Hz	Operating altitude	0 - 3000 m
Automatic Voltage Regulation (AVR)	✓	Non-operating altitude	0 - 3000 m
Maximum current	12 A	Certificates	
Surge energy rating	1080 J	Compliance certificates	RoHS
Hold time (min)	8 ms	Certification	FCC 15 B, NOM, TUV C-US
Hold time (max)	10 ms	Packaging content	
EMI/RFI noise filtering	✓	Cables included	USB cable
Noise level	45 dB	Manual	✓
Surge protection	✓	Sustainability	
Surge protection features	Coax, Network	Sustainability certificates	ENERGY STAR
Audible alarm(s)	✓	Weight & dimensions	
Audible alarm modes	Low battery alarm, Overload alarm	Width	100 mm
Ports & interfaces		Depth	368 mm
AC outlet types	NEMA 5-15R	Height	260 mm
Power plug	NEMA 5-15P		
AC outlets quantity	10 AC outlet(s)		

Ports & interfaces		Weight & dimensions	
USB port	✓	Weight	10.2 kg
Battery		Packaging data	
Battery technology	Sealed Lead Acid (VRLA)	Package width	223 mm
Battery life (max)	5 year(s)	Package depth	482 mm
Battery recharge time	16 h	Package height	358 mm
Hot-swap battery	✓	Package weight	11.8 kg
Automatic battery test	✓	Logistics data	
Cold start	✓	Products per pallet	16 pc(s)
Design		Harmonized System (HS) code	85078000
Form factor *	Tower	Master (outer) case gross weight	11.8 kg
Cable length	1.83 m	Products per master (outer) case	1 pc(s)
		Other features	
		Output voltage	120 V



0731304335382



731304335382

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.