Verbatim Mini GaN Charger 100W 4 Port US plug with EU and UK adaptors

Brand : Verbatim

Product code: 32231

Product name : Mini GaN Charger 100W 4 Port US plug with EU and UK adaptors

- 100W mini wall charger with 4 output ports: 2 x USB-C® PD 100W, 1 x USB-C PD 20W and 1 x USB-A QC 3.0
- Charges 4 devices simultaneously
- Integrated GaN technology
- Supports super-fast charging with USB Power Delivery 3.0, PPS and Quick Charge 3.0
- Programmable Power Supply (PPS) technology delivers the right amount of power needed for the ideal charge
- Multi-plug UK and EU adapter included
- Compact design made with high quality, flame resistant materials
- Features four safety protection systems, including over-current protection, over-voltage protection, short circuit protection, and over-temperature protection
Mini GaN Charger 100W 4 Port US plug with EU and UK adaptors
Verbatim Mini GaN Charger 100W 4 Port US plug with EU and UK adaptors. Charger type: Indoor, Power source type: AC, Charger compatibility: Universal. Input voltage: 100 - 240 V. USB Type-C ports quantity: 3, Fast charging, Power protection features: Over current, Over voltage, Overheating, Short circuit. Product colour: Black

Performance

Charger compatibility *	Universal
Power source type *	AC
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
USB Type-C ports quantity	3
Fast charging	✔
Fast charging technology	Quick Charge 3.0
Charger type *	Indoor
Number of simultaneously connected devices (max) *	4
Programmable power supply (PPS)	✔
USB Power Delivery (USB PD)	✔
Operating principle	Contact
USB Power Delivery revision	3.0
USB Power Delivery up to	100 W
Power protection features	Over current, Over voltage, Overheating, Short circuit

Design

Product colour *	Black
Housing material	Polycarbonate (PC)
LED indicators	✔
Plug and Play	✔
Gallium nitride (GaN) transistors	✔

Power

Input voltage	100 - 240 V
Input frequency	50/60 Hz
Input current	2.5 A
Maximum power	100 W

Power

Port 1 output current	5 A
Port 2 output current	5 A
Port 3 output current	3 A
Port 4 output current	2.25 A

Weight & dimensions

Width	31.5 mm
Depth	63 mm
Height	63 mm
Weight	176 g

Packaging data

Package width	47 mm
Package depth	110 mm
Package height	140 mm
Package weight	297 g
Package type	Box

Packaging content

Quantity per pack	1 pc(s)
AC adapter included	✔
Included power plug types	EU, UK, US

Logistics data

Warranty period	2 year(s)
Master (outer) cases per pallet layer	12 pc(s)
Layers per pallet	4 pc(s)

Other features

Case or master carton dimensions (W x D x H)	255 x 300 x 140 mm
Gross weight of outer carton	7400 kg

Power		Other features	
Port 1 output power	100 W	Quantity inner carton	10 pc(s)
Port 2 output power	100 W	Quantity outer carton	20 pc(s)
Port 3 output power	20 W	Outer carton dimensions (W x D x H)	270 x 320 x 290 mm
Port 4 output power	22.5 W	User guide	✔

0023942322313

023942322313

Catalog Object Cloud