

Samsung QP75A-8K Signage Display Digital signage flat panel 190.5 cm (75") LED Wi-Fi 500 cd/m² 8K Ultra HD Black Built-in processor 16/7

Brand : Samsung

Product code: QP75A-8K

Product name : QP75A-8K



- AI upscaling that Neo QLED 8K utilizes for an optimized viewing experience and every visual detail of your 8K content

- Crystal clear picture quality with more than 33 million pixels, over a billion shades of color, 12-bit contrast levels and Local Brightness Booster

- Clutter-free connectivity and the new pivot functionality with a slim, simple bezel optimize the space for efficiency regardless of the environment

75", QLED, 7680 x 4320, UHD, 500 nit, 6.5 ms, 16/7, HDMI x 2, USB x 3

Samsung QP75A-8K. Product design: Digital signage flat panel. Display diagonal: 190.5 cm (75"), Display technology: LED, Display resolution: 7680 x 4320 pixels, Display brightness: 500 cd/m², HD type: 8K Ultra HD. Wi-Fi. Operating hours (hours/days): 16/7. Product colour: Black

Display		Performance	
LED backlighting type	Direct-LED	High Dynamic Range 10 (HDR10)	✓
Display diagonal *	190.5 cm (75")	Operating hours (hours/days)	16/7
Display technology *	LED	HDCP	✓
Display resolution *	7680 x 4320 pixels	HDCP version	2.2
Display brightness *	500 cd/m ²	Power	
HD type *	8K Ultra HD	Power consumption (typical) *	320 W
Response time	6.5 ms	Power consumption (sleep)	0.5 W
Contrast ratio (typical)	1200:1	Energy efficiency class (SDR)	B
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50 - 60 Hz
Display number of colours	1.7 billion colours	Computer system	
Pixel pitch	214.86 x 214.86 mm	Built-in processor *	✓
Active display area (W x H)	928.1952 x 1650.1248 mm	Processor frequency	1.66 GHz
Colour saturation	93%	Processor cores	4
Horizontal scan range	0 - 270 kHz	Internal memory	5 GB
Vertical scan range	0 - 120 Hz	Internal storage capacity	16 GB
Haze rate	2 - 5	Weight & dimensions	
RGB colour space	DCI-P3	Width	1668.3 mm
Ports & interfaces		Depth	17.2 mm
HDMI ports quantity *	2	Height	955.6 mm
HDMI version	2.0/2.1	Weight	32.1 kg
HDMI input ports quantity	2	Packaging data	
USB port *	✓	Package width	1872 mm
USB ports quantity	3	Package depth	196 mm
USB version	2.0	Package height	1144 mm
Ethernet LAN (RJ-45) ports	1	Package weight	57.5 kg
RS-232 interface	✓	Packaging content	
RS-232C	✓	Remote control included	✓
Audio		Cables included	AC
Built-in speaker(s) *	✓	Operational conditions	
RMS rated power	70 W	Operating temperature (T-T)	0 - 40 °C
Design		Operating relative humidity (H-H)	10 - 80%
Product design *	Digital signage flat panel		
Product colour *	Black		

Design

VESA mounting *	✓
Panel mounting interface	400 x 400 mm

Network

Ethernet LAN *	✓
Wi-Fi *	✓

Features

Heat dissipation (max)	1387.87 BTU/h
------------------------	---------------



0887276536408



887276536408

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.