



Unleash the full potential of your high-speed memory cards with Transcend's RDF8 card reader. By supporting SDXC/SDHC UHS-I, microSDXC/SDHC UHS-I and CompactFlash memory cards, Transcend's RDF8 card reader combined with the performance boost of advanced USB 3.1 Gen 1 technology is the professional's choice for fast and efficient data transfer.



A card reader for all the popular card types

Fully supporting the mainstream SD, microSD and CompactFlash memory cards, the RDF8 card reader can handle virtually any data transfer. You can even plug in three cards at the same time, effortlessly transferring music, videos, images, and other digital files with one compact card reader!



USB Type-A for great device compatibility

The RDF8 card reader is equipped with a micro USB (USB 3.1 Gen 1) port and includes a micro USB to USB Type-A cable to transfer data between your SD, microSD or CompactFlash memory card and your computer.



Blazing-fast transfer speeds

Taking full advantage of the USB 3.1 Gen 1 interface for fast transfers,
Transcend's RDF8 card reader will unleash the full potential of your high-speed flash cards. In addition, the RDF8 has an LED indicator to show card insertion and data transfer activity.





USB 3.1 Gen 1 Card Readers **RDF8**

Features

- · USB 3.1 Gen 1 interface
- · Compact and portable design
- Multifunctional card reader with SD, microSD, and CompactFlash card slots
- Transfer high-resolution images and video recordings to your computer faster and more efficiently
- Download the RecoveRx data recovery software from Transcend's official website



RecoveRx software

Transcend offers the RecoveRx software, a free data recovery utility that allows you to search deep within a storage device for traces of erased files including digital photos, documents, music, and videos.

_			
ς'n	ACIT	ıcat	ions
20	CCII	icat	10113

67.6 mm x 45 mm x 15.2 mm (2.66" x 1.77" x 0.60")		
32 g (1.13 oz)		
Black/White		
micro USB to USB Type A		
USB 3.1 Gen 1		
SD /microSD/CompactFlash		
nt		
0°C (32°F) ~ 70°C (158°F)		
5V		
Speed may vary due to host hardware, software, usage, and storage capacity.		
CE/FCC/BSMI/KC/EAC		
Two-year Limited Warranty		
Microsoft Windows 7		
Microsoft Windows 8		
Microsoft Windows 10		
Mac OS X 10.2.8 or later		
Linux Kernel 2.6.30 or later		
SDHC (UHS-I)/SDXC (UHS-I)		
microSDHC (UHS-I)/microSDXC (UHS-I)		
CompactFlash (UDMA7)		
This card reader will work with UHS-II cards, but only operates at UHS-I speeds.		

Ordering Information

TS-RDF8K2	Black
TS-RDF8W2	White

Product specifications are subject to change without notice. Pictures shown may differ from actual products. When used as a storage capacity unit, one terabyte (TB) = one trillion bytes. Total accessible capacity varies depending on operating environment.



USB 3.1 Gen 1 Card Readers Comparison	⑦ Transcend	(f) Transcend	(f) transcend	① transcend	© Transcend ® Transcend	
	RDC8	RDF9	RDF2	RDF8	RDF5*	
Appearance						
Dimensions (Max.)		56 mm x 24 mm x 8.9 mm (2.20" x 0.94" x 0.35")				
Weight (Max.)	32 g (1.13 oz)	30.6 g (1.08 oz)	26 g (0.91 oz)	32 g (1.13 oz)	18 g (0.63 oz)	
Color	Black	Black	Black	Black/White	Black/White/Pink	
Interface						
USB Type	micro USB to USB Type C	m	icro USB to USB Ty	ре А	USB Type-A	
Connection Interface	USB 3.1 Gen 1					
Hardware						
Card Reader Slot(s)	SD/microSD CompactFlash	SD/microSD CompactFlash	CFast	SD/microSD CompactFlash	SD/microSD	
Warranty						
Warranty		Tw	o-year Limited War	ranty		
Compatibility						
Memory Card Supported	SDHC (UHS-I)	SDHC(UHS-II)	CFast 2.0	SDHC (UHS-I)	SDHC (UHS-I)	
	SDXC (UHS-I)	SDXC (UHS-II)		SDXC (UHS-I)	SDXC (UHS-I)	
	microSDHC (UHS-I)	SDHC (UHS-I)		microSDHC (UHS-I)	microSDHC (UHS-I	
	microSDXC (UHS-I)	SDXC (UHS-I)		microSDXC (UHS-I)	microSDXC (UHS-I)	
	CompactFlash(UDMA7) r			CompactFlash (UDMA7	")	
		microSDXC (UHS-I)				
		mpactFlash (UDMA6)				
	Coi	mpactFlash (UDMA7))			
SD UHS-II	-	✓	-	-	-	
SD UHS-I and below	✓	~	-	✓	<u> </u>	
microSD UHS-I and below	~	✓	-	✓	✓	
CompactFlash UDMA5 and below	✓	✓	-	✓	-	
CompactFlash UDMA7 & UDMA6	✓	~	-	✓	-	
CFast 2.0 and below	-	-	~	-	-	

 $\hbox{*Note: Simultaneous insertion of two cards not supported.}$