

## DELL Latitude 7430 2-in-1 Intel® Core™ i5 i5-1235U Hybrid (2-in-1) 35.6 cm (14") Touchscreen Full HD 16 GB DDR4-SDRAM 256 GB SSD Wi-Fi 6E (802.11ax) Windows 10 Pro Black

Brand : DELL Product family: Latitude Product code: MYRFP

Product name: 7430 2-in-1


- Windows 10 Pro 64-bit
- Intel Core i5-1235U (12MB Cache)
- 35.6 cm (14") Full HD 1920 x 1080 WVA Touch
- 16GB (3200MHz) DDR4-SDRAM & 256GB SSD

Intel Core i5-1235U (12MB Cache), 16GB DDR4-SDRAM, 256GB SSD, 35.6 cm (14") Full HD 1920 x 1080 WVA Touch, Intel Iris Xe Graphics, WLAN, Webcam, Windows 10 Pro 64-bit

DELL Latitude 7430 2-in-1 Intel® Core™ i5 i5-1235U Hybrid (2-in-1) 35.6 cm (14") Touchscreen Full HD 16 GB DDR4-SDRAM 256 GB SSD Wi-Fi 6E (802.11ax) Windows 10 Pro Black:

## Premium look. Premium options.

Work confidently from anywhere on the world's smallest 14" premium commercial laptop. More premium choices provide an amazing screen experience, intelligent performance, built-in security, and privacy. Configurable as a laptop or 2-in-1.





| Memory  |   | Processor special features            |                      |
|---|---|---------------------------------------|----------------------|
| Memory form factor  | On-board  | Intel Virtualization Technology (VT-  |                      |
| Maximum internal memory *                                 | 32 GB   | x)                                    | <b>✓</b>             |
| Memory channels   | Dual-channel  | Battery                               |                      |
| Storage   |   | Battery technology                    | Lithium-lon (Li-lon) |
| Total storage capacity *                                  | 256 GB  | Number of battery cells               | 4                    |
| Storage media *   | SSD   | Battery capacity *                    | 58 Wh                |
| Total SSDs capacity                                       | 256 GB  | Battery voltage Battery recharge time | 15.2 V<br>3 h        |
| Number of SSDs installed                                  | 1<br>256 GB   | Fast charging                         | <b>√</b>             |
| SSD capacity SSD interface                                | PCI Express   | Battery charge indicator              | · •                  |
| NVMe  | ✓   | Battery weight                        | 240 g                |
| SSD form factor   | M.2   | Power                                 | . 3                  |
| Optical drive type *                                      | x   | AC adapter power                      | 65 W                 |
| Graphics  |   | AC adapter frequency                  | 50 - 60 Hz           |
| Discrete graphics card model *                            | Not available   | AC adapter input voltage              | 100 - 240 V          |
| On-board graphics card *                                  | <b>✓</b>  | USB Power Delivery (USB PD)           | ✓                    |
| On-board GPU manufacturer                                 | Intel   | USB charging voltage                  | 20,5,9 V             |
| Discrete graphics card *                                  | x   | USB charging current                  | 3.25 A               |
| On-board graphics card model *                            | Intel Iris Xe Graphics                                      | Security                              |                      |
| Audio   |   | Cable lock slot                       | ✓                    |
| Audio chip  | Realtek ALC3281-CG  | Fingerprint reader                    | ✓                    |
| Number of built-in speakers                               | 2   | Trusted Platform Module (TPM)         | ✓                    |
| Speaker power   | 2 W   | Trusted Platform Module (TPM) version | 2.0                  |
| Built-in microphone  Number of microphones                | 2   | Password protection                   | <b>✓</b>             |
|   | 2   | Operational conditions                |                      |
| Camera  |   | Operating temperature (T-T)           | 0 - 35 °C            |
| Front camera  | ✓<br>2 MP   | Storage temperature (T-T)             | -40 - 65 °C          |
| Front camera resolution (numeric) Front camera resolution | 1920 x 1080 pixels  | Operating relative humidity (H-H)     | 10 - 90%             |
| Front camera HD type                                      | Full HD   | Storage relative humidity (H-H)       | 0 - 95%              |
| Video capturing speed                                     | 30 fps  | Operating altitude                    | -15.2 - 3048 m       |
| Infrared (IR) camera                                      | ✓   | Non-operating altitude                | -15.2 - 10668 m      |
| Network   |   | Operating shock Non-operating shock   | 110 G<br>160 G       |
| Top Wi-Fi standard *                                      | Wi-Fi 6E (802.11ax)   | Operating vibration                   | 0.66 G               |
| '   | 802.11a, Wi-Fi 5 (802.11ac),                                | Non-operating vibration               | 1.3 G                |
| Wi-Fi standards   | 802.11b, 802.11g, Wi-Fi 4<br>(802.11n), Wi-Fi 6E (802.11ax) | Weight & dimensions                   |                      |
| Mobile network connection *                               | ×   | Width                                 | 321.4 mm             |
| Wi-Fi data rate (max)                                     | 2400 Mbit/s   | Depth                                 | 208.7 mm             |
| Antenna type  | 2x2   | Height (front)                        | 1.71 cm              |
| WLAN controller model                                     | Intel Wi-Fi 6E AX211  | Height (rear)                         | 1.89 cm              |
| WLAN controller manufacturer                              | Intel   | Weight *                              | 1.35 kg              |
| Bluetooth   | <b>✓</b>  | Packaging content                     |                      |
| Bluetooth version   | 5.2   | Cables included                       | AC                   |
| Ports & interfaces  |   |                                       |                      |

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity \*





884116425212

0884116425212

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.