## ASUS ROG Strix XG32UCG computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LCD Black

Brand : ASUS Product family: ROG Strix Product code: 90LM0B01-

B01171

Product name: XG32UCG

ROG Strix XG32UCG Gaming Monitor – 32-inch (31.5 inch viewable) 3840x2160, dual mode (4K 160Hz/FHD 320Hz), 0.3ms (minimum), Fast IPS, Extreme Low Motion Blur Sync, USB Type-C, G-Sync compatible (processing), DisplayWidget Center, tripod socket, HDR, Aura Sync

ASUS ROG Strix XG32UCG computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LCD Black:

## ROG Strix XG32UCG

## **Utility Redefined**

Elevate your gaming experience with the ROG Strix XG32UCG, meticulously crafted for utility and performance. Immerse yourself with Frame Rate Boost, allowing the monitor to easily switch via hotkey to a 1080p 320Hz mode for esports ready performance and lightning-fast 1ms response time. Conquer challenges effortlessly with Al-powered features, and enhance your connectivity options with the inclusion of a versatile Type-C connection, ensuring you stay ahead while enjoying the convenience of modern connectivity.





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Touchscreen * Display brightness (peak)	80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD 16:9 LCD Fast IPS x 400 cd/m <sup>2</sup>	HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs HDCP	1 2.1 1 1.4 1
Display brightness (typical) Response time *	350 cd/m <sup>2</sup> 1 ms	HDCP version	2.3
Response time *  Response time measurement type  Anti-glare screen  Screen shape *  Contrast ratio (typical) *  Maximum refresh rate *  Viewing angle, horizontal  Viewing angle, vertical  Display number of colours *  Pixel pitch  Viewable size, horizontal  Viewable size, vertical  Digital horizontal frequency	GTG (Gray to Gray)  Flat 1000:1 160 Hz 178° 178° 1.073 billion colours 0.182 x 0.182 mm 69.8 cm 39.3 cm 24 - 380 kHz	Ergonomics  VESA mounting *  Panel mounting interface  Cable lock slot *  Cable lock slot type  Height adjustment *  Adjustable height (max)  Swivelling  Swivel angle range  Tilt adjustment  Tilt angle range	✓ 100 x 100 mm ✓ Kensington ✓ 11 cm ✓ -25 - 25° ✓ -5 - 20°
Digital vertical frequency	48 - 160 Hz	Power	
Display diagonal (metric) High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology	80 cm  ✓  DisplayHDR 400, High Dynamic Range 10 (HDR10)	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours *	F G 32 kWh
Colour gamut standard	DCI-P3	Energy consumption (HDR) per 1000 hours *	45 kWh

Display		Power	
Colour gamut	95%	Power consumption (typical) *	30 W
DCI-P3 coverage	95%	Power consumption (standby) *	0.5 W
Performance		Power consumption (off)	0.3 W
NVIDIA G-SYNC *	1	Power consumption (PowerSave)	0.5 W
NVIDIA G-SYNC type	G-SYNC Compatible	AC input voltage	100 - 240 V
AMD FreeSync *	J STITE COMPANIE	AC input frequency	50/60 Hz
AMD FreeSync type	FreeSync Premium	Energy efficiency scale	A to G
VESA Adaptive Sync support	✓	European Product Registry for Energy Labelling (EPREL) code	2267417
	<b>,</b>	3, 3, ,	
Flicker-free technology	•	Weight & dimensions	
Low Blue Light technology	•	Width (with stand)	717 mm
Game mode	✓	Depth (with stand)	246 mm
Multimedia		Height (with stand)	574 mm
Built-in speaker(s) *	×	Weight (with stand) Width (without stand)	9.9 kg 717 mm
Built-in camera *	×	Depth (without stand)	82 mm
Design		Height (without stand)	430 mm
•	Constant	Weight (without stand)	6.6 kg
Market positioning *  Product colour *	Gaming Black	Packaging data	
Feet colour	Black	Package width	900 mm
	DIGCK	Package depth	224 mm
Ports & interfaces		Package height	526 mm
Built-in USB hub *	×	Package weight	12.1 kg
USB Type-C downstream ports quantity	1	Package type	Box
USB Type-C DisplayPort Alternate Mode	✓	Sustainability	5 10 11 0 "(555)
USB Power Delivery (USB PD)	/	Sustainability certificates	Forest Stewardship Council (FSC) Mix
USB Power Delivery up to	15 W		PIIA











## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.