

Brother RJ-3050 POS printer 203 x 200 DPI Wired & Wireless Direct thermal Mobile printer

Brand : Brother **Product code:** RJ-3050

Product name: RJ-3050

RJ-3050 3" Portable Printer + Bluetooth, 32MB, ZPL II, CPCL, 750g
Brother RJ-3050. Print technology: Direct thermal, Type: Mobile printer, Maximum resolution: 203 x 200
DPI. Maximum printing width: 7.2 cm, Maximum media length: 100 cm. Connectivity technology: Wired & Wireless, Bluetooth version: 2.1+EDR, Bluetooth profiles: OPP, SPP. Wi-Fi standards: 802.11b, 802.11g, Wi-Fi 4 (802.11n). Built-in barcodes: GS1 DataBar Limited, CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code 93, Data Matrix, EAN128,..., Internal memory: 32 MB, Page description languages: CPCL-native, ESC P





Printing		System requirements	
Maximum resolution Print speed Print technology *	203 x 200 DPI 127 mm/sec Direct thermal	Compatible operating systems	Windows 8, 7, Vista, Server 2012 R2, Server 2012, Server 2008 R2, Server 2008
Type *	Mobile printer	Weight & dimensions	
Paper handling Maximum printing width	7.2 cm	Width Depth Height	125 mm 185 mm 230 mm
Maximum media length	100 cm	Weight	1.17 kg
Ports & interfaces		Packaging data	
USB port * USB 2.0 ports quantity Bluetooth Bluetooth version	✓ 1 ✓ 2.1+EDR	Bundled software Package weight	SDK (Software Development Kit) 1.62 kg
		Packaging content	
Connectivity technology *	Wired & Wireless	Quick start guide	✓
Bluetooth profiles	OPP, SPP	Batteries included	✓
Standard interfaces	Bluetooth, USB 2.0, Wireless LAN	Print quality	
Network		Maximum print height	7.2 cm
Ethernet LAN *	×	Logistics data	
Wi-Fi * Wi-Fi standards	✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Harmonized System (HS) code Products per pallet	84433210 192 pc(s)
Features		Pallet gross height	15.3 cm
Built-in barcodes *	GS1-128, ITF-25, MaxiCode, Micro QR Code, PDF417, POSTNET, QR Code, UPC-A, UPC-E	Pallet gross weight Master (outer) cases per pallet Layers per pallet	309.8 kg 48 pc(s) 6 pc(s)
		Technical details	
Page description languages		Master (outer) cases per pallet layer Pallet type	8 pc(s) 800 x 1200 mm

Features		Other features	
Internal memory * Flash memory	32 MB 32 MB	LED indicators International Protection (IP) code	✓ IP54
Country of origin Design	China	Battery type	PA-BT-001-B
Product colour *	Black		
Built-in display	×		
Power			
Power source type * Battery technology Power supply type	AC, Battery Lithium-lon (Li-lon) AC		





4977766741187

3234423050015

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.