## Epson DS-730N Sheet-fed scanner 600 x 600 DPI A4 Black, Grey

**Brand :** Epson **Product code:** B11B259201

**Product name:** DS-730N

215.9 mm x 6096 mm, A4, CIS, 27 - 413 g/m², LAN, USB 2.0 Type B, 3.6 kg Epson DS-730N. Maximum scan size: 215.9 x 6096 mm, Optical scanning resolution: 600 x 600 DPI, Input colour depth: 30 bit. Scanner type: Sheet-fed scanner, Product colour: Black, Grey, Display: LCD. Sensor type: CIS, Daily duty cycle (max): 4500 pages, Light source: ReadyScan LED. Auto document feeder (ADF) input capacity: 100 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Plastic Card, Post Card(JPN), ISO A-series sizes (A0...A9): A4, A5, A6





Scanning		Ports & interfaces	
Maximum scan size * Optical scanning resolution * Colour scanning	215.9 x 6096 mm 600 x 600 DPI ✓	USB port * USB version USB connector type	✓ 2.0 USB Type-B
Duplex scanning *	✓	Network	
Output colour depth 24 b	30 bit 24 bit 10 bit	Ethernet LAN IPv6 support	✓ ✓
Output greyscale depth	8 bit	Power	
Output monochrome depth 8 bit ADF scan speed (b/w, A4) 40 ppm ADF scan speed (colour, A4) 40 ppm Black/white scanning colour modes Monochrome	40 ppm 40 ppm	Power supply type * Power consumption (typical) Power consumption (off) AC input frequency	AC 14 W 0.1 W 50 - 60 Hz
Design		Sleep mode	✓
Scanner type * Product colour *	Sheet-fed scanner Black, Grey	Input voltage Power consumption (sleep)	100 - 240 V 1.5 W
Display	LCD	Weight & dimensions	
Display diagonal 3.81 cm (1.5")  Colour display  ### Performance	Width Depth Height Weight	296 mm 169 mm 167 mm 3.6 kg	
Sensor type *	CIS	Packaging data	
Light source Scan file formats Daily duty cycle (max) * Scan to Password protection	ReadyScan LED JPEG, PDF, TIFF 4500 pages E-mail, FTP, Network folder	Quantity per pack Package width Package depth Package height Package weight	1 pc(s) 270 mm 370 mm 320 mm 4.93 kg
Ultrasonic sensor	✓	Packaging content	
Input capacity		Cables included	AC
Auto document feeder (ADF) input capacity	100 sheets	Operational conditions Operating temperature (T-T)	5 - 35 °C
Paper handling		Storage temperature (T-T)	25 - 60 °C
Scanning media types supported	Business Card, Plastic Card, Post Card(JPN)	Operating relative humidity (H-H) Storage relative humidity (H-H)	15 - 80% 15 - 85%

Paper handling		Other features	
Maximum ISO A-series paper size * ISO A-series sizes (A0A9) ISO B-series sizes (B0B9) Letter	A4, A5, A6 B4, B5, B6	Output resolutions Image formats supported Cabling technology	75, 100, 150, 200, 240, 300, 600, 1200 dpi BMP, JPEG, TIFF, PNG 10/100/1000Base-T(X)
Legal	<b>✓</b>	Logistics data	
Auto Document Feeder (ADF) media weight	27 - 413 g/m²	Products per pallet Country of origin Pallet gross weight Products per pallet (UK) Pallet weight (UK)	48 pc(s) Indonesia 0 g 60 pc(s) 0 q





010343953529

0010343953529

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.