EPSON

Epson B11B249201 scanner ADF + Sheet-fed scanner 600 x 600 DPI A3 White

Brand : Epson

Product code: B11B249201

Product name : B11B249201

CMOS, 600 dpi, 3-Color RGB LED, 26 ppm/52 ipm, 50-209 g/m², USB 2.0, 100-240 VAC 50-60 Hz

Epson B11B249201 scanner ADF + Sheet-fed scanner 600 x 600 DPI A3 White:

The affordable DS-410 document scanner brings speed and compatibility to busy workstations. Scanning up to 26 ppm/52 ipm, it powers through stacks of documents via its 50-page ADF. Built for seamless integration with virtually any document management software, it includes both ISIS and TWAIN drivers. And, it comes with an industry-leading 3-year limited warranty, with added support services to minimize downtime. The DS-410 also features Double-feed Detection and Paper Protection to prevent misfeeds, and a peak daily duty cycle up to 3,000 sheets. Users can scan documents, ID cards and more to online storage accounts, or create searchable PDFs.

Scanning

Maximum scan size *	215.9 x 914.4 mm
Optical scanning resolution *	600 x 600 DPI
Colour scanning	✔
Duplex scanning *	✔
Input colour depth	48 bit
Output colour depth	24 bit
Input greyscale depth	16 bit
Output greyscale depth	8 bit
Output monochrome depth	1 bit
ADF scan speed (b/w, A4)	26 ppm
Duplex ADF scan speed (b/w, A4)	52 ipm

Design

Scanner type *	ADF + Sheet-fed scanner
Product colour *	White
Built-in display *	✘

Performance

Sensor type *	CMOS
Light source	RGB LED
Daily duty cycle (max) *	3000 pages
Scan to	Cloud
Button functions	On
Scan drivers	ISIS, TWAIN

Input capacity

Auto document feeder (ADF) input capacity	50 sheets

Paper handling

Scanning media types supported	Envelopes, Plastic Card, Post Card(JPN)
Maximum ISO A-series paper size *	A3
ISO A-series sizes (A0...A9)	A3, A4, A5, A6
ISO B-series sizes (B0...B9)	B4, B5, B6
Letter	✔
Legal	✔

Paper handling

Auto Document Feeder (ADF) media weight	50 - 210 g/m²
Minimum scan area (ADF)	53.34 x 73.66 mm

Ports & interfaces

USB port *	✔
USB version	2.0
Standard interfaces	USB 2.0

Network

Wi-Fi	✘
Ethernet LAN	✘

Power

Power supply type *	AC
Power consumption (typical)	18 W
Power consumption (standby)	7 W
Power consumption (off)	0.4 W
AC input frequency	50 - 60 Hz
Sleep mode	✔
Input voltage	100-240 V
Power consumption (sleep)	1.6 W

Weight & dimensions

Width	297.2 mm
Depth	152.4 mm
Height	154.9 mm
Weight	2.49 kg

System requirements

Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.9 Mavericks

Operational conditions

Operating temperature (T-T)	10 - 35 °C
Operating relative humidity (H-H)	10 - 80%

Logistics data

Country of origin	China

0010343935846

010343935846

Catalog Object Cloud