Viewsonic VG Series VG1655 LED display 39.6 cm (15.6") 1920 x 1080 pixels Full HD Silver

Brand : Viewsonic   **Product family:** VG Series   **Product code:** VG1655

Product name : VG1655

Portable 15.6", IPS, Full HD 1920x1080, USB C w/ 60W Power, miniHDMI, Silver
Viewsonic VG Series VG1655. Display diagonal: 39.6 cm (15.6"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 14 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Product colour: Silver

Display

Display diagonal *	39.6 cm (15.6")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✖
Display brightness (typical)	250 cd/m²
Response time	14 ms
Anti-glare screen	✔
Screen shape *	Flat
Contrast ratio (typical) *	800:1
Contrast ratio (dynamic)	50000000:1
Maximum refresh rate *	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.2 million colours
Response time (fast)	6.6 ms
Pixel pitch	0.179 x 0.179 mm
Horizontal scan range	15 - 82 kHz
Vertical scan range	50 - 75 Hz
Viewable size, horizontal	34.4 cm
Viewable size, vertical	19.4 cm
Display diagonal (metric)	39.62 cm
Surface hardness	3H
Colour depth	8 bit
sRGB coverage (typical)	64%

Ports & interfaces

HDMI *	✔
HDMI version	1.4
Mini HDMI ports quantity	1
Audio input	✖
Headphone out *	✔
Headphone outputs	1
Headphone connectivity	3.5 mm
HDCP	✔
DC-in jack	✔

Ergonomics

VESA mounting *	✖
Cable lock slot *	✖
Height adjustment *	✖
Tilt adjustment	✔
Tilt angle range	20 - 60°

Power

Energy efficiency class (SDR) *	C
Energy efficiency class (HDR) *	G
Energy consumption (SDR) per 1000 hours *	7 kWh
Power consumption (typical) *	7 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.3 W
Power consumption (PowerSave)	5.1 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

Display

NTSC coverage (typical)	45%

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
Low Blue Light technology	✔

Multimedia

Built-in speaker(s) *	✔
Built-in camera *	✘
Number of speakers	2
RMS rated power	1.6 W

Design

Market positioning *	Business
Product colour *	Silver
Country of origin	China
Certification	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Bronze, CEC, NRCan, MX-CoC, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, BSMI, RCM, GEMS

Ports & interfaces

Built-in USB hub *	✘
USB upstream port type	USB Type-C
Number of upstream ports	2
USB Type-C downstream ports quantity	2
USB Power Delivery up to	60 W
DVI port	✘

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 90%

Packaging content

Cables included	Mini-HDMI, USB Type-C, USB Type-C to USB Type-A
Power adapter included	✔
Quick start guide	✔

Weight & dimensions

Width (with stand)	355 mm
Depth (with stand)	16 mm
Height (with stand)	223 mm
Weight (with stand)	800 g

Packaging data

Package width	440 mm
Package depth	89 mm
Package height	288 mm
Package weight	2.2 kg
Package type	Box

Sustainability

European Product Registry for Energy Labelling (EPREL) code	391347

Logistics data

Harmonized System (HS) code	85285210

0766907007091

766907007091