


## ASUS ROG -THOR-1000P3-GAMING power supply unit 1000 W 20+4 pin ATX ATX Black

**Brand :** ASUS

**Product family:** ROG

**Product code:** 90YE00V3-B0NA00

**Product name :** ROG-THOR-1000P3-GAMING



ROG Thor 1000W Platinum III

[ASUS ROG -THOR-1000P3-GAMING power supply unit 1000 W 20+4 pin ATX ATX Black:](#)

Featuring a GaN MOSFET, "GPU-First" patented intelligent voltage stabilizer and a magnetic OLED display, ROG Thor 1000W Platinum III delivers unmatched performance and rock-solid stability for your ultimate PC build

ROG THOR 1000W PLATINUM III

### ULTIMATE POWER. UNMATCHED STABILITY.

The ROG Thor 1000W Platinum III delivers the ultimate power and stability demanded by gamers. A next-gen GaN MOSFET delivers superior efficiency, and "GPU-First" voltage sensing features a patented-intelligent voltage stabilizer, ensuring top-tier performance and stability. Meanwhile, there is Turbo Mode for maximum cooling when overclocking or for other demanding workloads.

The ROG Thor 1000W Platinum III also features the signature Thor OLED display, now upgraded for easy magnetic attachment - it can be swapped to either side of the unit to accommodate fan-up or fan-down PSU installation.



Power		Ports & interfaces	
Total power *	1000 W	CPU power connector (4+4 pin)	✓
AC input voltage *	100 - 240 V	CPU power cable length	100 cm
Power Factor Correction (PFC) type	Active	PCI Express connector	✓
Combined power (+3.3V)	125 W	Cabling type	Fully-Modular
Combined power (+12V)	1000 W	<b>Performance</b>	
Combined power (+5V)	125 W	80 PLUS certification *	80 PLUS Platinum
Combined power (-12V)	3.6 W	Purpose *	PC
Combined power (+5Vsb)	15 W	Power supply unit (PSU) form factor *	ATX
Max output current (+3.3V)	30 A	ATX version	3.1
Max output current (+12V)	83.33 A	Bearing technology	DBB
Max output current (+5V)	25 A	Mean time between failures (MTBF)	120000 h
Max output current (-12V)	0.3 A	<b>Design</b>	
Max output current (+5Vsb)	3 A	Product colour	Black
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under power	Cooling type	Active
<b>Ports &amp; interfaces</b>		Number of fans	1 fan(s)
Motherboard power connector *	20+4 pin ATX	Fan location	Top
Motherboard power cable length	61 cm	Illumination	✓
Number of SATA power connectors	7	<b>Packaging content</b>	
SATA power cable length	400,120 mm	Cables included	CPU, PCIe, SATA, Peripheral (Molex)
Peripheral (Molex) power connectors (4-pin) *	6	<b>Weight &amp; dimensions</b>	
Peripheral (Molex) power cable length	400,150 mm	Width	190 mm
PCI Express power connectors (6+2 pin)	4	Depth	150 mm
PCI Express power connectors (16-pin)	1	Height	86 mm
PCI Express power cable length	75 cm	Weight	2.37 kg

**Packaging data**

Package width	379 mm
Package depth	241 mm
Package height	127 mm
Package weight	5.08 kg
Package type	Box



4711387610596



0197105610675



197105610675

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.