



## Lenovo ThinkStation P3 Ultra Intel® Core™ i9 i9-13900 16 GB DDR5-SDRAM 512 GB SSD NVIDIA Quadro T1000 Windows 11 Pro Mini Tower Workstation Black

**Brand :** Lenovo

**Product family:** ThinkStation

**Product code:** 30HA0024US

**Product name :** P3 Ultra

- Windows 11 Pro 64-bit
- Intel Core i9-13900 (36MB Cache)
- NVIDIA Quadro T1000 (8GB GDDR6)
- 16GB DDR5-SDRAM (1 x 16) & 512GB SSD

Intel Core i9-13900 (36MB Cache), 16GB DDR5-SDRAM, 512GB SSD, Intel UHD Graphics 770, NVIDIA Quadro T1000 (8GB GDDR6), LAN, WLAN, Bluetooth, Windows 11 Pro 64-bit

Lenovo ThinkStation P3 Ultra Intel® Core™ i9 i9-13900 16 GB DDR5-SDRAM 512 GB SSD NVIDIA Quadro T1000 Windows 11 Pro Mini Tower Workstation Black:

The Lenovo ThinkStation P3 Ultra features a revolutionary form factor that is redefining the power of small. With the latest 13th Gen Intel® Core™ processors, up to NVIDIA RTX™ A5500 mobile graphics, super-fast memory, and cutting-edge storage, this workstation breaks new ground by delivering superior performance and flexibility in a chassis less than four liters in total volume.



Processor		Network	
Processor manufacturer *	Intel	Wi-Fi *	✓
Processor family *	Intel® Core™ i9	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Processor generation	13th gen Intel® Core™ i9	Wi-Fi standards	Wi-Fi 6E (802.11ax)
Processor model *	i9-13900	WLAN controller manufacturer	Intel
Processor cores	24	WLAN controller model	Intel Wi-Fi 6E AX211
Processor threads	32	Antenna type	2x2
Processor boost frequency	5.6 GHz	Bluetooth	✓
Performance cores	8	Bluetooth version	5.1
Efficient cores	16	Ports & interfaces	
Performance-core Max Turbo Frequency	5.2 GHz	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	5
Efficient-core Max Turbo Frequency	4.2 GHz	Thunderbolt 4 ports quantity	2
Performance-core base frequency	2 GHz	Intel® Thunderbolt 4	✓
Efficient-core base frequency	1.5 GHz	DisplayPorts quantity	3
Processor cache	36 MB	DisplayPort version	1.2
Processor cache type	Smart Cache	Ethernet LAN (RJ-45) ports	2
Bus type	DMI4	Combo headphone/mic port	✓
Number of processors installed	1	Design	
Processor base power	65 W	Chassis type *	Mini Tower
Maximum turbo power	219 W	Volume	3.9 L
Memory		Placement supported	Horizontal/Vertical
Internal memory *	16 GB	Cable lock slot	✓
Maximum internal memory *	128 GB	Cable lock slot type	Kensington
Internal memory type	DDR5-SDRAM	Product colour *	Black
Memory layout (slots x size)	1 x 16 GB	Performance	
Memory slots	4x SO-DIMM	Motherboard chipset	Intel W680
Non-ECC	✓	Audio chip	Realtek ALC897-Q
Memory channels	Dual-channel	Built-in speaker(s)	✓
Storage		Number of speakers	1
Total storage capacity *	512 GB	Password protection	✓
Storage media *	SSD	Password protection type	BIOS, Power on, Supervisor
Optical drive type *	✗	BIOS type	UEFI
Number of storage drives installed	1	Trusted Platform Module (TPM)	✓
Total SSDs capacity	512 GB	Product type *	Workstation
Number of SSDs installed	1		

Storage		Software	
SSD capacity	512 GB	Operating system installed *	Windows 11 Pro
SSD interface	PCI Express 4.0	Operating system architecture	64-bit
NVMe	✓	Operating system language	English
SSD form factor	M.2	Processor special features	
Card reader integrated	✗	CPU configuration (max)	1
Graphics		Power	
Discrete graphics card *	✓	Power supply *	300 W
Discrete GPU manufacturer	NVIDIA	Power supply input voltage	100 - 240 V
On-board graphics card *	✓	Operational conditions	
Discrete graphics card model *	NVIDIA Quadro T1000	Operating temperature (T-T)	10 - 35 °C
Discrete graphics card memory	8 GB	Storage temperature (T-T)	-40 - 60 °C
Discrete graphics memory type	GDDR6	Operating relative humidity (H-H)	20 - 80%
Number of discrete graphics cards	1	Storage relative humidity (H-H)	10 - 90%
On-board GPU manufacturer	Intel	Operating altitude	0 - 3048 m
On-board graphics card family	Intel® UHD Graphics	Non-operating altitude	0 - 12192 m
On-board graphics card model *	Intel UHD Graphics 770	Certificates	
Graphics card Mini DisplayPort ports quantity	4	Certification	EPEAT Gold Registered ENERGY STAR 8.0 TCO Certified 9.0 RoHS compliant MIL-STD-810H
Network		Weight & dimensions	
Ethernet LAN *	✓	Width *	87 mm
Ethernet LAN data rates	1000,2500,100 Mbit/s	Depth *	223 mm
Cabling technology	10/100/1000Base-T(X)	Height *	202 mm
		Weight *	3.6 kg
		Packaging content	
		Display included *	✗
		Mouse included	✓
		Keyboard included	✓



0197529249017



197529249017

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-APR-2024. Prints or copies of Information are only valid on the printed Publication date