

Viewsonic LDS135-151 Signage Display Digital signage flat panel 3.43 m (135") Wi-Fi 600 cd/m² Full HD Black Android 9.0

Brand : Viewsonic

Product code: LDS135-151

Product name : LDS135-151


- Pre-assembled kit ready for instant use
- Foldable screen with the movable flight case for easy delivery
- Built-in stand with motorised height adjustment
- Impressive audio from Harman Kardon speakers
- Seamless large display for rental at any event/exhibition

Foldable 135" All-in-One LED Display, 1920x1080, 6000:1, VGA, 100-120V, IP30, Android 9.0, VGA
Viewsonic LDS135-151. Product design: Digital signage flat panel. Display diagonal: 3.43 m (135"),
Display resolution: 1920 x 1080 pixels, Display brightness: 600 cd/m², HD type: Full HD. Wi-Fi. Operating
system installed: Android 9.0. Product colour: Black



Display		Power	
LED backlight	✓	Power consumption (typical) *	1200 W
LED backlighting type	Direct-LED	Power consumption (standby) *	0.5 W
Display diagonal *	3.43 m (135")	Power consumption (max)	2300 W
Display resolution *	1920 x 1080 pixels	AC input voltage	100-240 V
Display brightness *	600 cd/m ²	AC input frequency	50-60 Hz
HD type *	Full HD	Computer system	
Viewing angle, horizontal	160°	Operating system installed	Android 9.0
Viewing angle, vertical	160°	Operating system version	Android 9.0
Pixel pitch	1.56 x 1.56 mm	Weight & dimensions	
Panel life	100000 h	Display width	1800 mm
Horizontal scan range	20 - 120 kHz	Display depth	770 mm
Vertical scan range	15 - 135 Hz	Display height	1948 mm
Ports & interfaces		Display weight	253 kg
HDMI ports quantity *	6	Weight	253 kg
HDMI version	2.0	Width (with stand)	1900 mm
VGA (D-Sub) input ports	1	Depth (with stand)	800 mm
USB port *	✓	Height (with stand)	2032 mm
USB version	2.0	Weight (with stand)	453 kg
Ethernet LAN (RJ-45) ports	1	Packaging data	
RS-232 interface	✓	Package width	1900 mm
Remote (IR) input	1	Package depth	800 mm
Audio		Package height	2032 mm
Built-in speaker(s) *	✓	Package weight	453 kg
Number of built-in speakers	2	Operational conditions	
RMS rated power	20 W	Operating temperature (T-T)	0 - 40 °C
Design		Logistics data	
Product design *	Digital signage flat panel	Products per master (outer) case	1 pc(s)
Placement supported *	Indoor	Harmonized System (HS) code	8528521000
Product colour *	Black		
VESA mounting *	✓		

Performance		Network	
Purpose *	Universal	Ethernet LAN *	✓
		Wi-Fi *	✓



0766907014921



766907014921

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.