Lenovo V15 G4 IRU Intel® Core™ i5 i5-1335U Laptop 39.6 cm (15.6") Full HD 8 GB DDR4-SDRAM 256 GB SSD Wi-Fi 6 (802.11ax) Windows 11 Pro US English Black

Brand: Lenovo Product family: V Product code: 83A10024US

Product name: V15 G4 IRU

- Windows 11 Pro 64-bit
- Intel Core i5-1335U (12MB Cache)
- 39.6 cm (15.6") Full HD 1920 x 1080 TN
- 8GB (3200MHz) DDR4-SDRAM & 256GB SSD

Intel Core i5-1335U (12MB Cache), 8GB DDR4-SDRAM, 256GB SSD, 39.6~cm (15.6") Full HD 1920 x 1080 TN, Intel Iris Xe Graphics, LAN, WLAN, Webcam, Windows 11 Pro 64-bit

Lenovo V15 G4 IRU. Product type: Laptop, Form factor: Clamshell. Processor family: Intel® Core™ i5, Processor model: i5-1335U. Display diagonal: 39.6 cm (15.6"), HD type: Full HD, Display resolution: 1920 x 1080 pixels. Internal memory: 8 GB, Internal memory type: DDR4-SDRAM. Total storage capacity: 256 GB, Storage media: SSD. On-board graphics card model: Intel Iris Xe Graphics. Operating system installed: Windows 11 Pro. Product colour: Black. Weight: 1.67 kg





Design		Network	
Colour name	Business Black	Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)
Product type *	Laptop	Wi-Fi standards	Wi-Fi 6 (802.11ax)
Product colour *	Black	Mobile network connection *	×
Form factor *	Clamshell	Antenna type	2x2
Housing material	Acrylonitrile butadiene styrene (ABS), Polycarbonate (PC)	Ethernet LAN	✓ 1000 100 MbH/
Display		Ethernet LAN data rates Bluetooth	1000,100 Mbit/s
Display diagonal *	39.6 cm (15.6")	Bluetooth version	5.1
Display resolution *	1920 x 1080 pixels	Near Field Communication (NFC)	×
Touchscreen *	×	WWAN	Not installed
HD type	Full HD		Troc instance
Panel type	TN	Ports & interfaces	
LED backlight	✓	USB 2.0 ports quantity *	1
Native aspect ratio	16:9	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1
Anti-glare screen Display brightness	✓ 250 cd/m²	USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity *	1
RGB colour space	NTSC	Ethernet LAN (RJ-45) ports	1
Colour gamut	45%	HDMI ports quantity *	1
Contrast ratio (typical)	500:1	HDMI version	1.4b
Processor		Combo headphone/mic port	✓
Processor manufacturer *	Intel	USB Type-C DisplayPort Alternate Mode	✓
Processor family *	Intel® Core™ i5	Performance	
Processor generation Processor model *	13th gen Intel® Core™ i5 i5-1335U	Motherboard chipset	Intel SoC
Processor cores	10	·	
Processor boost frequency	4.6 GHz	Keyboard	
Performance cores	2	Pointing device	Touchpad
Efficient cores	8	Numeric keypad *	✓
Performance-core Max Turbo		Keyboard backlit	×
Frequency	4.6 GHz	Keyboard layout	QWERTY

Efficient-core Max Turbo Frequency 3.4 GHz Keyboard language US English Processor cache Processor cache 12 MB Software Operating system architecture (64-bit English Configurable TDP-down 12 W Operating system inaquage English Windows 11 Pro Operating system installed * Windows 11 Pro Maximum turbo power 55 W Operating system installed * Windows 11 Pro Memory Processor base power 15 W Operating system installed * Windows 11 Pro Memory Processor special features Processor speci	_			
Processor cache 12 MB Software Processor cache type Smart Cache Operating system architecture 64-bit Configurable TD-down 12 W Operating system inaquage English Processor base power 15 W Operating system installed * Windows 11 Pro Memory 8 GB CPU configuration (max) 1 Internal memory type DDR4-SDRAM Battery technology Lithium Polymer (LIPo) Memory (lock speed 3200 Mt2 Battery technology Lithium Polymer (LIPo) Memory (lock speed 3200 Mt2 Battery technology Lithium Polymer (LIPo) Memory (lock speed 3200 Mt2 Battery technology Lithium Polymer (LIPo) Memory (lock speed 3200 Mt2 Battery technology Lithium Polymer (LIPo) Memory (lock speed 3200 Mt2 Battery technology Lithium Polymer (LIPo) Memory (lock speed 3200 Mt2 Battery (max) 6.4 th Memory (lock speed 3200 Mt2 Battery 7.5 th Storage Security 256 GB Ac adapter power 5. W	Processor		Keyboard	
Processor cache type Configurable TDP-down 12 W Operating system architecture Operating system installed * Midows 11 Pro Maximum furbo power Memory Internal memory * 8 GB Internal memory type Memory IDP-SEADRAM MEMORY IDP-	, ,		Keyboard language	US English
Configurable TDP-down Processor base power 15 W Operating system language Processor base power 15 W Operating system language Internal memory 15 W Operating system language Processor special features CPU configuration (max) 1 Internal memory 1 B GB Internal memory by DDR4-SDRAM Battery Memory (cock speed 3200 MHz Battery technology Memory form factor On-board 4 S-O.DIMM Memory form factor On-board 4 S-O.DIMM Maximum internal memory* 16 GB Continuous video playback time 7.5 h Memory slots Adapter power Storage Total storage capacity* 256 GB Storage media* 550 AC adapter frequency 550 apacity 256 GB Storage media* 550 AC adapter input voltage 100 -240 V Number of SSDs installed 1 USB Power Delivery (USB PD) **SSD form factor Opical drive byee* **Y **Cable lock slot **/ **Cable lock slot type SSD form factor Op-board graphics card model* On-board graphics card model* On-board graphics card model* Not available Discrete graphics card model* On-board graphics card model* Discrete graphics card model* Discrete graphics card model* On-board graphics card model* On-board graphics card model* Discrete graphics card model ** Not available Discrete graphics card model ** Not available Discrete graphics card model ** Not available Operating temperature (T-T) Storage temperature			Software	
Processor base power Maximum turbo power 55 W Operating system installed * Windows 11 Pro Operating system installed * Ithium Polymer (LIPo) * Ithium Poly	,,		Operating system architecture	64-bit
Maximum turbo power 55 W Operating system istalled Windows 11 Pro				•
Memory Internal memory* B 6B Internal memory type DDR4-SDRAM Battery technology Lithium Polymer (LiPo) Memory clock speed Memory for factor On-board + SO-DIMM Memory find factor On-board For-Dimber SSD capacity SSD capacity 16 GB Continuous video playback time 7.5 h Maximum internal memory* 16 GB Continuous video playback time 7.5 h Maximum internal memory* 16 GB Continuous video playback time 7.5 h Maximum internal memory* 16 GB Continuous video playback time 7.5 h Maximum internal memory* 16 GB Continuous video playback time 7.5 h Maximum internal memory* 16 GB Continuous video playback time 7.5 h Maximum internal memory* 16 GB Continuous video playback time 7.5 h Maximum internal memory* 16 GB Continuous video playback time 7.5 h Maximum sinternal memory* 16 GB Maximum sinternal memory* 17 Security 18 Power 1.5 W More V More More More More More More More More	Maximum turbo power		Operating system installed *	Windows 11 Pro
Internal memory* 8 GB Internal memory type DDM-ASDRAM Battery Memory lots speed 3200 MHz Battery technology Memory lots speed 3200 MHz Battery capacity* 38 Wh Memory slots Memory slots 1 X SO-DIMM Battery capacity* 38 Wh Memory slots Memo	Memory		Processor special features	
Internal memory type Memory clock speed 3200 MHz Battery technology Battery technology Battery technology 38 Wh Memory form factor On-board + SO-DIMM Battery life (max) 6.4 h Ac dayber pide playback time 7.5 h Memory slots Dual-channel Dual-channel Dual-channel Power Total storage capacity 256 GB AC adapter power AC adapter input voltage AC adapter input voltage 100 - 240 V SSD capacity 256 GB AC adapter input voltage 100 - 240 V Ac adapter input voltage 100 - 240 V Ac adapter input voltage AC adapter	•	8 GB	CPU configuration (max)	1
Memory form factor On-board + SO-DIMM Battery capacity * 38 Wh Memory slots 1x SO-DIMM Battery life (max) 6.4 h Memory channels 16 GB Continuous video playback time 7.5 h Memory channels Dual-channel Fast charging ✓ Storage Power Total storage capacity * 256 GB AC adapter power 50/60 Hz Storage media * SSD AC adapter input voltage 100 - 240 V Number of SSDs installed 1 USB Power Delivery (USB PD) ✓ SSD Lapacity 256 GB AC adapter input voltage 100 - 240 V Number of SSDs installed 1 USB Power Delivery (USB PD) ✓ SSD capacity NVMe ✓ Cable lock slot ✓ NVMe ✓ Cable lock slot type Kensington Card reader integrated X Trusted Platform Module (TPM) ✓ Card reader integrated X Trusted Platform Module (TPM) ✓ On-board graphics card model * Not available Password protection type BIOS, HDD, Power on, Supervisor On-board graphics card * ✓ Poperating teative humidity (H-H) 5 - 35 °C On-board gr	Internal memory type		Battery	
Memory slots 1x SO-DIMM Battery life (max) 6.4 h Maximum internal memory* 16 GB Continuous video playback time 7.5 h Memory channels Dual-channel Fast charging ✓ Storage Power Total storage capacity* 256 GB AC adapter power 65 W Storage media* 55D AC adapter frequency 50/60 Hz Total SSDs capacity 256 GB AC adapter input voltage 100 - 240 V Number of SSDs installed 1 USB Power Delivery (USB PD) ✓ SSD capacity 256 GB Security SSD interface PCI Express 4.0 Security Kensington NVMe ✓ Cable lock slot ✓ V SSD form factor M.2 Cable lock slot type Kensington SSD driver graphic X Trusted Platform Module (TPM) ✓ Optical drive type * X Trusted Platform Module (TPM) ✓ Card reader integrated X Trusted Platform Module (TPM) ✓ Discrete graphics card model * Not available Password protection ✓ On-board graphics card * Y Password protection type BIOS, HDD, Power on, Supervisor On-board graphics card * X <td>Memory clock speed</td> <td>3200 MHz</td> <td>Battery technology</td> <td>Lithium Polymer (LiPo)</td>	Memory clock speed	3200 MHz	Battery technology	Lithium Polymer (LiPo)
Maximum internal memory* 16 GB Continuous video playback time 7.5 h Memory channels Dual-channel Fast charging 7.5 h Memory channels Poul-channel Fast charging 7.5 h Memory channels 7.5 h Memory cha	Memory form factor	On-board + SO-DIMM	Battery capacity *	38 Wh
Memory channels Dual-channel Fast charging ✓ Storage Power Total storage capacity * 256 GB AC adapter power 55 W Storage media * SSD AC adapter frequency 50/60 Hz Total SSDs capacity 256 GB AC adapter input voltage 100 - 240 V Number of SSDs installed 1 USB Power Delivery (USB PD) ✓ SSD capacity 256 GB Security SSD Interface PCI Express 4.0 Security NVMe ✓ Cable lock slot ✓ SSD Interface M.2 Cable lock slot type Kensington Optical drive type * X Trusted Platform Module (TPM) ✓ Card reader integrated X Trusted Platform Module (TPM) ✓ Card reader integrated X Trusted Platform Module (TPM) ✓ Discrete graphics card model * Not available Password protection type BIOS, HDD, Power on, Supervisor On-board graphics card * X Operating temperature (T-T) 5 - 35 °C On-board graphics card	Memory slots		• • •	
Total storage capacity * 256 GB AC adapter power 65 W Storage media * SSD AC adapter frequency 50/60 Hz Total SSDs capacity 256 GB AC adapter input voltage 100 - 240 V Number of SSDs installed 1 USB Power Delivery (USB PD) 7 SSD capacity 256 GB AC adapter input voltage 100 - 240 V Number of SSDs installed 1 USB Power Delivery (USB PD) 7 SSD capacity 256 GB S SSD interface PCI Express 4.0 Security V SSD form factor M.2 Cable lock slot 7 SSD form factor M.2 Cable lock slot 7 SSD form factor M.2 Cable lock slot type Kensington M.2 Card reader integrated X Fingerprint reader X X Fingerp	•			
Total storage capacity * SSD SB AC adapter power 65 W Storage media * SSD AC adapter frequency 50/60 Hz Total SSDs capacity 256 GB AC adapter input voltage 100 - 240 V Number of SSDs installed 1 USB Power Delivery (USB PD) SSD capacity 256 GB SEcurity 256 GB SSD capacity 256 GB SSD interface PCI Express 4.0 Security SSD Interface PCI Express 4.0 Cable lock slot SSD form factor M.2 Cable lock slot type Kensington Kensington M.2 Cable lock slot type Kensington Module (TPM) SSD form factor Optical drive type * X Trusted Platform Module (TPM) SCard reader integrated Not available Password protection On-board graphics card model * Not available On-board graphics card * On-board graphics card * On-board graphics card * On-board graphics card family Intel® UHD Graphics Intel® UHD Graphics Intel® UHD Graphics Intel® UHD Graphics On-board graphics card family Intel® UHD Graphics Intel® UHD Graphics On-board graphics card family Intel® UHD Graphics Storage temperature (T-T) S - 43 °C On-board graphics card family Intel® UHD Graphics Intel® UHD Graphics On-board graphics card family Intel® UHD Graphics Storage relative humidity (H-H) Storage relative humidity (H-H) S - 95% Audio chip Realtek ALC3287 Audio system Dolby Audio Certificates Certificates FSC certified package ENERGY STAR 8.0 EPP Lot 6 EPP Lot 2	•	Dual-channel	Fast charging	✓
Storage media * SSD AC adapter frequency 50/60 Hz Total SSDs capacity 256 GB AC adapter input voltage 100 - 240 V Number of SSDs installed 1 USB Power Delivery (USB PD) SSD capacity 256 GB SSD interface PCI Express 4.0 NVMe	Storage		Power	
Total SSDs capacity 256 GB AC adapter input voltage 100 - 240 V Number of SSDs installed 1 USB Power Delivery (USB PD) V SSD Capacity 256 GB SSD capacity 256 GB SSD interface PCI Express 4.0 Security SSD form factor M.2 Cable lock slot type Kensington SSD form factor M.2 Cable lock slot type Kensington SSD form factor M.2 Fingerprint reader Card reader integrated X Trusted Platform Module (TPM) Version 2.0 Card reader integrated X Trusted Platform Module (TPM) Version 2.0 Card reader integrated X Trusted Platform Module (TPM) Version 2.0 Card reader integrated X Trusted Platform Module (TPM) Version 2.0 Card reader integrated X SDD interfee graphics card model Not available Password protection type BIOS, HDD, Power on, Supervisor On-board graphics card X Operating remperature (T-T) S- 35 °C SDD intel® URL BIT SX Graphics SDD intel® SDD intel® URL BIT SX Graphics SDD intel® SDD inte	Total storage capacity *		AC adapter power	65 W
Number of SSDs installed 1 USB Power Delivery (USB PD) SSD capacity 256 GB SSD interface PCI Express 4.0 NVMe	•			50/60 Hz
SSD capacity 256 GB SSD interface PCI Express 4.0 NVMe	' '			
SSD interface PCI Express 4.0 NVMe			USB Power Delivery (USB PD)	√
SSD form factor Optical drive type * X Card reader integrated X Card reader integrated X Card reader integrated X Trusted Platform Module (TPM) Version Discrete graphics card model * Not available On-board graphics card * ✓ On-board graphics card * ✓ On-board GPU manufacturer Discrete graphics card * X On-board graphics card family Intel® UHD Graphics Storage temperature (T-T) 5 - 43 °C Operating relative humidity (H-H) 8 - 95% Audio Audio chip Audio chip Realtek ALC3287 Audio System Dolby Audio Certificates Speaker power Discrete graphics Discrete graphics card family Dolby Audio Certificates FSC certified package ENERGY STAR 8.0 ErP Lot 6 ErP Lot 26 RoHS Compliant TÜV Rheinland Low Blue Light (Software Solution) MIL- STD-810H Camera Weight & dimensions Front camera Fesolution 1280 x 720 pixels Depth Height Privacy camera Weight ** Weight ** Height 1.67 kg	SSD interface		Security	
Optical drive type * X Fingerprint reader X Trusted Platform Module (TPM)	NVMe	·	Cable lock slot	✓
Card reader integrated X Graphics Trusted Platform Module (TPM) version 2.0 Discrete graphics card model * Not available Not available Password protection Password protection type Password protection type BIOS, HDD, Power on, Supervisor Password protection t	SSD form factor	M.2	Cable lock slot type	Kensington
Graphics Graphics Discrete graphics card model * Not available Discrete graphics card model * Not available On-board graphics card * ✓ Password protection On-board GPU manufacturer Intel Operating temperature (T-T) On-board graphics card family On-board graphics card family On-board graphics card family On-board graphics card family On-board graphics card model * Intel® UHD Graphics Intel Iris Xe Graphics Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T) Operating relative humidity (H-H) S - 95% Audio chip Audio chip Audio system Dolby Audio Number of built-in speakers 2 Speaker power 1.5 W Built-in microphone ✓ Loss Possible Number of microphones 2 Certification	Optical drive type *	×	Fingerprint reader	×
Discrete graphics card model * Not available Password protection ✓ On-board graphics card * ✓ Password protection type BIOS, HDD, Power on, Supervisor On-board GPU manufacturer Intel Operational conditions Discrete graphics card * X Operating temperature (T-T) 5 - 35 °C On-board graphics card family Intel® UHD Graphics Operating temperature (T-T) 5 - 43 °C On-board graphics card model * Intel Iris Xe Graphics Operating relative humidity (H-H) 8 - 95% Audio Audio Storage relative humidity (H-H) 5 - 95% Audio chip Realtek ALC3287 Maximum shipping altitude 3048 m Audio system Dolby Audio Certificates Speaker power 1.5 W Certificates Speaker power 1.5 W Certification Certification Compliant TÜV Rheinland Low Blue Light (Software Solution) MIL-STD-810H Camera Front camera ✓ Weight & dimensions Front camera resolution 1280 x 720 pixels Depth 235.8 mm Front camera HD type HD Height 19.9 mm Privacy camera ✓ Weight * 1.67 kg	Card reader integrated	×	Trusted Platform Module (TPM)	✓
On-board graphics card *	Graphics			2.0
On-board GPU manufacturer Discrete graphics card * X On-board graphics card family On-board graphics card family On-board graphics card family On-board graphics card model * Intel ® UHD Graphics On-board graphics card model * Intel Iris Xe Graphics On-board graphics card model * Intel Iris Xe Graphics On-board graphics card model * Intel Iris Xe Graphics On-board graphics card model * Intel Iris Xe Graphics On-board graphics card model * Intel Iris Xe Graphics On-board graphics card model * Intel Iris Xe Graphics On-board graphics card model * Intel Weight & Intel W UHD Graphics On-board graphics card family On-board graphics card model * Intel Weight & Intel W	Discrete graphics card model *	Not available	Password protection	✓
Discrete graphics card * X On-board graphics card family On-board graphics card family On-board graphics card model * Intel Iris Xe Graphics On-board graphics card model * Intel Iris Xe Graphics On-board graphics card model * Intel Iris Xe Graphics Operating relative humidity (H-H) 8 - 95% Audio Audio Audio chip Aealtek ALC3287 Audio system Audio system Oblby Audio Certificates Number of built-in speakers Speaker power 1.5 W Built-in microphone V Number of microphones 2 Camera FSC certified package ENERGY STAP 8.0 ErP Lot 6 ErP Lot 26 RoHS compliant TÜV Rheinland Low Blue Light (Software Solution) MIL- STD-810H Camera Front camera Front camera resolution 1280 x 720 pixels Privacy camera V Weight & dimensions 1.67 kg	On-board graphics card *	✓	Password protection type	BIOS, HDD, Power on, Supervisor
On-board graphics card family			Operational conditions	
On-board graphics card model * Intel Iris Xe Graphics Operating relative humidity (H-H) 8 - 95% Audio Audio Chip Realtek ALC3287 Maximum shipping altitude 3048 m Audio system Dolby Audio Certificates Number of built-in speakers 2 Speaker power 1.5 W Built-in microphone ✓ Certification Compliant TÜV Rheinland Low Blue Light (Software Solution) MIL-STD-810H Camera Weight & dimensions Front camera resolution 1280 x 720 pixels Depth 235.8 mm Front camera HD type HD Height 1.67 kg Number of microp and weight * Weight * 1.67 kg			Operating temperature (T-T)	5 - 35 °C
Audio Chip Realtek ALC3287 Maximum shipping altitude 3048 m Audio system Dolby Audio Certificates Number of built-in speakers 2 Speaker power 1.5 W Built-in microphone V Number of microphones 2 Camera Weight & dimensions Front camera resolution 1280 x 720 pixels Pront camera HD type HD Privacy camera V Storage relative humidity (H-H) 5 - 95% FSC certificates FSC certified package ENERGY STAR 8.0 Erp Lot Complete South Package ENERGY STAR 8.0 Erp	- ·		Storage temperature (T-T)	5 - 43 °C
Audio chip Realtek ALC3287 Maximum shipping altitude 3048 m Audio system Dolby Audio Certificates Number of built-in speakers 2 Speaker power 1.5 W Built-in microphone ✓ Certification Certification Compliant TÜV Rheinland Low Blue Light (Software Solution) MIL-STD-810H Camera Weight & dimensions Front camera resolution 1280 x 720 pixels Depth 235.8 mm Front camera HD type HD Height 19.9 mm Privacy camera ✓ Weight * 1.67 kg		inter in 5 Ac Graphics		
Audio system Number of built-in speakers Speaker power 1.5 W Built-in microphone Number of microphones 2 Certification Certification Certification Certification Speaker power		D. II. I. A. 622.67		
Number of built-in speakers Speaker power 1.5 W Certification Certification Certification Certification Certification Certification Compliant TÜV Rheinland Low Blue Light (Software Solution) MIL-STD-810H Camera Weight & dimensions Front camera resolution Front camera resolution 1280 x 720 pixels Depth Front camera HD type HD Height Weight * 1.67 kg	•		11 3	3048 m
Speaker power 1.5 W Built-in microphone V Certification Certification Compliant TÜV Rheinland Low Blue Light (Software Solution) MILSTD-810H Camera Front camera Front camera resolution 1280 x 720 pixels Privacy camera V Weight Weight HD Height Weight 1.67 kg	•	•	Certificates	
Built-in microphone Number of microphones 2 Camera Weight & dimensions Front camera resolution Front camera HD type HD Height Privacy camera ✓ Weight * 1.67 kg				FSC certified package ENERGY STAR
Number of microphones 2 Camera Weight & dimensions Front camera resolution 1280 x 720 pixels Depth 235.8 mm Front camera HD type HD Height Height 19.9 mm Privacy camera ✓ Weight * 1.67 kg	•		Certification	
Front camera Vidth 359.2 mm Front camera resolution 1280 x 720 pixels Depth 235.8 mm Front camera HD type HD Height 19.9 mm Privacy camera Veight & dimensions 359.2 mm 400 167 kg	Number of microphones			
Front camera resolution 1280 x 720 pixels Depth 235.8 mm Front camera HD type HD Height 19.9 mm Privacy camera Weight * 1.67 kg	Camera		Weight & dimensions	
Front camera HD type HD Height 19.9 mm Privacy camera Weight * 1.67 kg	Front camera	✓	Width	359.2 mm
Privacy camera Weight * 1.67 kg	Front camera resolution	1280 x 720 pixels	Depth	235.8 mm
	Front camera HD type	HD	Height	19.9 mm
Privacy type Privacy shutter	Privacy camera	✓	Weight *	1.67 kg
	Privacy type	Privacy shutter		





196804936352

0196804936352

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.