

# Verbatim USB-C Essentials Multiport Hub 6 ports: HDMI, USB-C PD, USB-A 3.2 Gen 1, USB-A, SD & microSD

**Brand :** Verbatim

**Product code:** 32156

**Product name :** USB-C Essentials Multiport Hub 6 ports: HDMI, USB-C PD, USB-A 3.2 Gen 1, USB-A, SD & microSD

- Ports: HDMI, USB-C PD, USB-A 3.2 Gen 1, USB-A 2.0, SD and microSD
  - Pass-through PD Charging: Supports up to 100W power delivery to charge your laptop while using the hub
  - SD/microSD Slots: Supports read and write speeds of up to 40MB/s and 30MB/s respectively
  - Compact Design: Lightweight and portable, perfect for on-the-go professionals
  - Compatibility: Supports multiple operating systems including Windows, Mac OS, Chrome OS, Linux, and Android
  - Plastic-free packaging
- USB-C Essentials Multiport Hub 6 ports: HDMI, USB-C PD, USB-A 3.2 Gen 1, USB-A, SD & microSD



| Ports & interfaces                              |  | System requirements               |             |
|---|--|-----------------------------------|-------------|
| Host interface *                                | USB 3.2 Gen 1 (3.1 Gen 1) Type-C                           | Other operating systems supported | Android     |
| Hub interfaces *                                | HDMI, USB 2.0 Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-A     | Weight & dimensions               |             |
| USB 2.0 ports quantity                          | 1  | Width                             | 29.7 mm     |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 1  | Depth                             | 112.2 mm    |
| HDMI ports quantity                             | 1  | Height                            | 11 mm       |
| Ports quantity *                                | 6  | Weight                            | 56 g        |
| Card reader integrated                          | ✓  | Packaging data                    |             |
| Card reader slot                                | 2  | Quantity per pack                 | 1 pc(s)     |
| Compatible memory cards                         | MicroSD (TransFlash), MicroSDHC, MicroSDXC, SD, SDHC, SDXC | Package width                     | 85 mm       |
|   |  | Package depth                     | 155 mm      |
|   |  | Package height                    | 20 mm       |
|   |  | Package weight                    | 105 g       |
|   |  | Package type                      | Box         |
| Features  |  | Packaging content                 |             |
| Data transfer rate *                            | 5000 Mbit/s  | Quick start guide                 | ✓           |
| Supported graphics resolutions                  | 3840 x 2160  | Operational conditions            |             |
| Maximum resolution (HDMI)                       | 3840 x 2160 pixels   | Minimum operating temperature     | 0 °C        |
| Product colour                                  | Grey   | Maximum operating temperature     | 40 °C       |
| Housing material                                | Acrylonitrile butadiene styrene (ABS), Aluminium           | Operating temperature (T-T)       | 0 - 40 °C   |
| USB Power Delivery (USB PD)                     | ✓  | Storage temperature (T-T)         | -20 - 70 °C |
| USB Power Delivery revision                     | 3.0  | Operating relative humidity (H-H) | 10 - 85%    |
| USB Power Delivery up to                        | 100 W  | Logistics data                    |             |
| HD type   | 4K Ultra HD  | Pallet gross width                | 100 cm      |
| Number of displays supported                    | 1  | Pallet gross length               | 120 cm      |
| Cable type                                      | Round cable  | Pallet gross height               | 120 cm      |
| Cable length                                    | 0.15 m   | Pallet gross weight               | 265 kg      |
| Plug and Play                                   | ✓  | Master (outer) case width         | 256 mm      |
| Country of origin                               | China  | Master (outer) case length        | 345 mm      |
|   |  | Master (outer) case height        | 236 mm      |
|   |  | Master (outer) case gross weight  | 5.5 kg      |
| Power   |  |                                   |             |
| Power supply type                               | USB  |                                   |             |
| Input voltage                                   | 5 - 20 V   |                                   |             |
| Output voltage                                  | 5 V  |                                   |             |
| Output current                                  | 0.9 A  |                                   |             |

| System requirements                 |   | Technical details       |  |
|-------------------------------------|---|-------------------------|--|
| Windows operating systems supported | Windows 10, Windows 11, Windows 7, Windows 8  | Pallet net height       | 12 cm  |
|                                     | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma | Pallet net length       | 120 cm   |
| Mac operating systems supported     |   | Pallet net width        | 100 cm   |
|                                     |   | Pallet net weight       | 12 kg  |
| Linux operating systems supported   | ✓   | Compliance certificates | CE, Electromagnetic Compatibility (EMC), Federal Communications Commission (FCC), Low Voltage Directive (LVD), REACH, RoHS, UKCA |



0023942321569



023942321569

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.