

Viewsonic PX701-4K data projector Standard throw projector 3200 ANSI lumens DMD UHD 4K (3840x2160) White



Brand : Viewsonic


Product code: PX701-4K

Product name : PX701-4K

Viewsonic PX701-4K. Projector brightness: 3200 ANSI lumens, Projection technology: DMD, Projector native resolution: UHD 4K (3840x2160). Light source type: Lamp, Service life of light source: 6000 h, Service life of light source (economic mode): 20000 h. Focus: Auto, Focal length range: 15.843 - 17.445 mm, Aperture range (F-F): 2 - 2.05. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1200 (WUXGA), 3840 x 2160, Supported video modes: 720p, 1080i, 1080p, 2160p. Serial interface type: RS-232, HDMI connector type: Full-size, HDMI version: 2.0b

Projector		Features	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Noise level (economic mode)	27 dB
Projection distance	1 - 10.96 m	HDCP	✓
Projector brightness *	3200 ANSI lumens	On Screen Display (OSD)	✓
Projection technology *	DMD	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
Projector native resolution *	UHD 4K (3840x2160)	Number of OSD languages	23
Contrast ratio (typical) *	12000:1	Noise level *	31 dB
Number of colours	1.07 billion colours	Separate H/V sync	✓
Horizontal scan range	15 - 129 kHz	High Dynamic Range (HDR) supported	✓
Vertical scan range	23 - 240 Hz	High Dynamic Range (HDR) technology	Hybrid Log-Gamma (HLG)
Keystone correction, vertical	-40 - 40°	Multimedia	
Matrix type	DMD	Built-in speaker(s) *	✓
Light source		RMS rated power	10 W
Light source type *	Lamp	Design	
Service life of light source *	6000 h	Market positioning *	Gaming
Service life of light source (economic mode)	20000 h	Product type *	Standard throw projector
Lamp power	203 W	Product colour *	White
Lens system		Placement	Desktop
Focus *	Auto	Cable lock slot	✓
Focal length range	15.843 - 17.445 mm	Cable lock slot type	Kensington
Aperture range (F-F)	2 - 2.05	Display	
Zoom capability	✓	Built-in display *	✗
Zoom ratio	1.1:1	Power	
Digital zoom	2x	Power source *	AC
Optical zoom	1.1x	Power consumption (typical) *	290 W
Throw ratio	1.5-1.65	Power consumption (standby) *	0.5 W
Offset	120%	AC input voltage	100-240 V
Video		AC input frequency	50 - 60 Hz
Analog signal format system *	NTSC, PAL, SECAM	Operational conditions	
Full HD *	✓	Operating temperature (T-T)	0 - 40 °C
3D *	✗	Weight & dimensions	
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA), 3840 x 2160	Width	312 mm
Supported video modes	720p, 1080i, 1080p, 2160p		
Ports & interfaces			
HDMI connector type	Full-size		
HDMI version	2.0b		
USB 2.0 ports quantity	1		
Serial interface type *	RS-232		

Ports & interfaces		Weight & dimensions	
PC Audio out	✓	Depth	222 mm
HDMI ports quantity *	2	Height	108 mm
DVI port *	✗	Weight *	2.8 kg
Mobile High-Definition Link (MHL)	✗	Package width	415 mm
AC (power) in	✓	Package depth	168 mm
Network		Package height	297 mm
Smart TV *	✗	Package weight	4 kg
Ethernet LAN *	✗	Packaging content	
Wi-Fi *	✗	Remote control included *	✓
Storage		Cables included	AC
Card reader integrated *	✗	Technical details	
		Refresh rates	240 Hz
		Logistics data	
		Quantity per pack	1 pc(s)
		Pallet gross length	83.4 cm
		Pallet gross width	100.8 cm
		Pallet gross height	190.2 cm
		Products per master (outer) case	1 pc(s)
		Harmonized System (HS) code	8528620000



0766907007893



766907007893

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.