



TP-Link VIGI InSight S445ZI Turret IP security camera Outdoor 2688 x 1520 pixels Ceiling

Brand : TP-Link

Product family: VIGI

Product code: INSIGHT S445ZI

Product name : InSight S445ZI



- 5X Optical Zoom for Easy Installation and Monitoring
- 4MP Super-High Definition and IR Range Up to 60m (197ft)
- Human & Vehicle Classification
- Smart Detection
- Smart Video Enhancement Technology
- Audio and Alarm Interface Available
- IP67 Weatherproof and IK10 Vandal Proof
- H.265+ Compression Technology

InSight S445ZI VIGI 4MP IR Motorized Varifocal Turret Network Camera

TP-Link VIGI InSight S445ZI. Type: IP security camera, Placement supported: Outdoor, Connectivity technology: Wired. Mounting type: Ceiling, Product colour: White, Form factor: Turret. Angle of rotation: 360°, Lens viewing angle, horizontal: 29.6-102, Lens viewing angle, vertical: 16.8-53.8. Sensor type: CMOS, Optical sensor size: 25.4 / 2.9 mm (1 / 2.9"). Optical zoom: 5x, Focal length range: 2.7 - 13.5 mm, Focus: Motorized

Performance		Video	
Type *	IP security camera	Region of Interest (ROI) encoding	✓
Placement supported *	Outdoor	Smart IR	✓
Connectivity technology *	Wired	Audio	
Wide Dynamic Range (WDR)	✓	Audio system	2-way
Day/night mode	✓	Audio input channels	1.0 channels
Infrared (IR) cut-off filter	✓	Audio output channels	1.0 channels
Remote viewing	✓	Audio formats supported	G.711 A-law
Dynamic range	120 dB	Sample rate	8 kHz
Design		Signal-to-Noise Ratio (SNR)	52 dB
Form factor *	Turret	Built-in microphone	✓
Mounting type *	Ceiling	Number of microphones	1
Product colour *	White	Bit rate range	0 - 64 Kbit/s
Housing material	Metal	Network	
Protection features	Waterproof	Ethernet LAN *	✓
International Protection (IP) code	IP67	Networking standards	IEEE 802.3af, IEEE 802.3at
Weatherproof	✓	Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP, UDP, SSL/TLS, FTP/SFTP, RTP, IPv4, IPv6, ARP
Camera		Wi-Fi *	✗
Minimum illumination	0 lx	Bluetooth *	✗
Angle of rotation	360°	Live view	✓
Lens viewing angle, horizontal	29.6-102	Number of simultaneous live view channels	6 channels
Lens viewing angle, vertical	16.8-53.8	Storage	
Lens viewing angle, diagonal	34.1-122.8	Card reader integrated	✓
Tilt angle range	0 - 77°	Compatible memory cards	MicroSD (TransFlash)
Pan range	0 - 360°		
Camera shutter speed	1/3 to 1/10000		
Number of Privacy masking areas	4		

Image sensor		Storage	
Optical sensor size	25.4 / 2.9 mm (1 / 2.9")	Maximum memory card size	512 GB
Progressive scan	✓	Ports & interfaces	
Sensor type *	CMOS	Ethernet LAN (RJ-45) ports	1
Lens system		DC-in jack	✓
Zoom capability	✓	Security	
Optical zoom	5x	Alarm input channels	1
Number of lenses *	1	Alarm output channels	1
Focal length range	2.7 - 13.5 mm	Built-in siren	✓
Auto focus	✓	Password protection	✓
Focus	Motorized	Video motion detection	✓
Maximum aperture number	1.6	IP address filtering	✓
Detect distance (wide)	66 m	HTTPS encryption	✓
Detect distance (tele)	207 m	Alert notification type	Push notification
Observe distance (wide)	28 m	Privacy protection	✓
Observe distance (tele)	86 m	Motion sensor	✓
Recognize distance (wide)	13 m	Mirror	✓
Recognize distance (tele)	41 m	Human and vehicle targets classification	✓
Identify distance (wide)	7 m	Digest authentication	✓
Identify distance (tele)	21 m	Management features	
Night vision		Web browser	✓
Night vision *	✓	Cloud-managed *	✓
Night vision distance	60 m	Reset button	✓
LED type	IR	Power	
Number of illumination LEDs	4	Power source type *	DC, PoE
Infra-red wavelength	850 nm	Power consumption (max)	10.8 W
Video		Power consumption (Power over Ethernet (PoE))	12 W
Maximum resolution *	2688 x 1520 pixels	DC output voltage	12
Total megapixels *	4 MP	Operational conditions	
Video compression formats	H.264, H.264+, H.265, H.265+ 1920 x 1080 (HD 1080), 2048 x 1280, 2304 x 1296, 2560 x 1440, 2688 x 1520	Operating temperature (T-T)	-30 - 60 °C
Supported graphics resolutions		Storage temperature (T-T)	-40 - 60 °C
Video recording	✓	Operating relative humidity (H-H)	0 - 95%
Video streaming	✓	Storage relative humidity (H-H)	0 - 95%
Noise reduction	✓	Weight & dimensions	
Noise reduction technology	3D noise reduction	Height	92.5 mm
Image quality adjustment	Brightness, Contrast, Mirror, Saturation, Sharpness	Diameter	11.2 cm
Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)	Weight	710 g
Bit rate	Main Stream: 256 Kbps to 6 Mbps, Sub-Stream: 512 Kbps to 1024 Kbps	Packaging data	
Back Light Compensation (BLC)	✓	Package weight	960 g
Highlight Compensation (HLC)	✓	Package type	Box
Digital Wide Dynamic Range (DWDR)	✓	Packaging content	
		Number of cameras *	1
		Mounting kit	✓
		Screws included	✓
		Drilling template included	✓
		Manual	✓



1210002606318



8885020623550



0810142822008



810142822008

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.