

Viewsonic LDM163-181 Signage Display Digital signage flat panel 4.14 m (163") LED Wi-Fi 600 cd/m² Full HD Black

Brand : Viewsonic


Product code: LDM163-181

Product name : LDM163-181

- Impressively large, yet seamless view
- All-in-One design without complicated setup
- Easy delivery, installation, and maintenance
- Engaging front-facing presentation solution
- Flexible wireless content sharing solution

135" 1920 x 1080 LED, 600 nits, 3840 Hz, HDMI, USB, RJ45, Wi-Fi, IP30, RS-232, 3020.95 x 1805.95 x 35 mm, 135 kg

Viewsonic LDM163-181. Product design: Digital signage flat panel. Display diagonal: 4.14 m (163"), Display technology: LED, Display resolution: 1920 x 1080 pixels, Display brightness: 600 cd/m², HD type: Full HD. Wi-Fi. Product colour: Black



Display		Performance	
LED backlighting type	Direct-LED	HDCP	✓
Display diagonal *	4.14 m (163")	International Protection (IP) code	IP30
Display technology *	LED	HDCP version	1.4
Display resolution *	1920 x 1080 pixels	Power	
Display brightness *	600 cd/m ²	Power consumption (typical) *	2030 W
HD type *	Full HD	Power consumption (sleep)	0.5 W
Contrast ratio (typical)	6000:1	Power consumption (off)	0 W
Viewing angle, horizontal	160°	Power consumption (max)	2900 W
Viewing angle, vertical	160°	AC input voltage	100 - 240 V
Pixel pitch	1.56 x 1.56 mm	AC input frequency	50 - 60 Hz
Rated lifetime	100000 h	Computer system	
Horizontal scan range	31 - 94 kHz	Internal storage capacity	32 GB
Vertical scan range	56 - 85 Hz	Weight & dimensions	
Native refresh rate	3840 Hz	Display width	3020.9 mm
Ports & interfaces		Display depth	35 mm
HDMI ports quantity *	2	Display height	1806 mm
HDMI version	1.4	Display weight	135 kg
USB port *	✓	Width	3020.9 mm
USB ports quantity	3	Depth	35 mm
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)	Height	1806 mm
Ethernet LAN *	✓	Weight	135 kg
Ethernet LAN (RJ-45) ports	1	Width (with stand)	3020.9 mm
Wi-Fi *	✓	Depth (with stand)	56 mm
RS-232 interface	✓	Height (with stand)	1806 mm
Audio		Packaging data	
Built-in speaker(s) *	✓	Package width	1800 mm
Number of built-in speakers	2	Package depth	745 mm
RMS rated power	5 W	Package height	850 mm
Design		Package weight	240 kg
Product design *	Digital signage flat panel	Packaging content	
Placement supported *	Indoor	Remote control included	✓

Design		Packaging content	
Orientation	Horizontal	Cables included	AC, USB Type-A to USB Type-B
Product colour *	Black	Mounting kit	✓
Performance		Operational conditions	
Purpose *	Commercial	Operating temperature (T-T)	0 - 40 °C



0766907014471



766907014471

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.