DELL OptiPlex 3000 2 GHz Windows 10 IoT Enterprise 1.1 kg Black N5105

Brand : DELL **Product family:** OptiPlex **Product code:** 4PJPH

Product name : OptiPlex 3000

- Windows 10 IoT Enterprise
- Intel Celeron N5105 (4MB Cache, 2GHz)
- 8GB (2933MHz) DDR4-SDRAM (1 x 8) & 256GB SSD

Intel Celeron N5105 (4MB Cache, 2GHz), 8GB DDR4-SDRAM, 256GB SSD, Intel UHD Graphics, LAN, Windows 10 IoT Enterprise

DELL OptiPlex 3000. Processor frequency: 2 GHz, Processor manufacturer: Intel, Processor family: Intel® Celeron®. Internal memory: 8 GB, Internal memory type: DDR4-SDRAM, Memory clock speed: 2933 MHz. Total storage capacity: 256 GB, Storage media: SSD, Storage drive interface: PCI Express. On-board graphics card model: Intel® UHD Graphics, Maximum resolution: 4096 x 2160 pixels. Cabling technology: 10/100/1000Base-T(X)

Processor	
Processor frequency *	2 GHz
Processor manufacturer *	Intel
Processor family	Intel® Celeron®
Processor model	N5105
Processor cores	4
Processor boost frequency	2.9 GHz
Processor cache	4 MB
L3 cache	4 MB
Memory	
Internal memory *	8 GB
Internal memory type	DDR4-SDRAM
Memory clock speed	2933 MHz
Memory slots	1x SO-DIMM
Memory layout (slots x size)	1 x 8 GB
Maximum internal memory	16 GB
Storage	
Total storage capacity *	256 GB
Storage media *	SSD
Storage drive interface	PCI Express
SSD form factor	M.2
Graphics	
On-board graphics card model	Intel® UHD Graphics
Maximum resolution	4096 x 2160 pixels
Network	
Wi-Fi *	✗
Ethernet LAN *	✓
Cabling technology	10/100/1000Base-T(X)

Ports & interfaces	
DC-in jack	✓
DisplayPorts quantity	2
Design	
Product colour *	Black
Cable lock slot	✓
Cable lock slot type	Kensington
Display	
Display included *	✗
Software	
Operating system installed *	Windows 10 IoT Enterprise
Trusted Platform Module (TPM)	✓
Power	
Power supply	65 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Operational conditions	
Operating temperature (T-T)	0 - 35 °C
Storage temperature (T-T)	-40 - 65 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	0 - 95%
Operating altitude	-15.2 - 3048 m
Non-operating altitude	-15.2 - 10668 m
Weight & dimensions	
Width	36 mm
Depth	178 mm
Height	182 mm

Ports & interfaces	
Ethernet LAN (RJ-45) ports *	1
USB 2.0 ports quantity *	3
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1
Combo headphone/mic port	✓

Weight & dimensions	
Weight	1.1 kg

Packaging content	
Cables included	AC

Other features	
Power LED	✓

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-APR-2024. Prints or copies of Information are only valid on the printed Publication date