

## DELL E Series E2425HSM computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL Product family: E Series Product code: DELL-E2425HSM

**Product name :** E2425HSM

- 60.5cm (23.8") Full HD 1920 x 1080 Edge LED IPS
- 8ms, 16:9, 250cd/m<sup>2</sup>, 1000:1
- VGA, HDMI, DisplayPort

 $60.5 cm~(23.8")~Full~HD~1920~x~1080~Edge~LED~IPS,~16:9,~250 cd/m^2,~16.7 M,~8 ms,~178^\circ/178^\circ,~1000:1000 cm^2/m^2,~16.7 M,~1000 cm^2/m^2,~1000 cm^2/m^2,~1$ 

## DELL E Series E2425HSM computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black:

Get the essentials to enhance productivity with this 23.8-inch height-adjustable monitor certified by  $T\ddot{U}V$  Rheinland® for 3-star eye comfort.

DELL E Series E2425HSM. Display diagonal: 60.5 cm (23.8"), Display resolution:  $1920 \times 1080 \text{ pixels}$ , HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal:  $178^\circ$ , Viewing angle, vertical:  $178^\circ$ . Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black





| Display                        |  | Ergonomics                        |                 |
|--------------------------------|--|-----------------------------------|-----------------|
| Display diagonal *             | 60.5 cm (23.8")  | Cable management                  | ✓               |
| Display resolution *           | 1920 x 1080 pixels   | Cable lock slot *                 | ✓               |
| HD type *                      | Full HD  | Cable lock slot type              | Kensington      |
| Native aspect ratio *          | 16:9   | Height adjustment *               | ✓               |
| Display technology *           | LCD  | Adjustable height (max)           | 13 cm           |
| Panel type *                   | IPS  | Pivot                             | ✓               |
| LED backlight                  | <b>✓</b>   | Pivot angle                       | -90 - 90°       |
| Backlight type                 | Edge LED   | Swivelling                        | /               |
| Touchscreen *                  | ×  | Swivel angle range                | -173 - 173°     |
| Display brightness (typical)   | 250 cd/m <sup>2</sup>  | Tilt adjustment                   | -1/3 - 1/3<br>✓ |
| Response time *                | 8 ms   | Tilt angle range                  | -5 - 21°        |
| Response time measurement type | GTG (Gray to Gray)   | 5 5                               |                 |
| Anti-glare screen              | ✓  | On Screen Display (OSD)           | <b>✓</b>        |
| Screen shape *                 | Flat   | Plug and Play                     | ✓               |
|                                | 640 x 480 (VGA), 720 x 400, 800 x  | LED indicators                    | <b>✓</b>        |
| Supported graphics resolutions | 600 (SVGA), 1024 x 768 (XGA),<br>1152 x 864 (XGA+), 1280 x 1024<br>(SXGA), 1280 x 720 (HD 720), 1600 | Power                             |                 |
|                                |  | Energy efficiency class (SDR) *   | D               |
|                                | x 900, 1920 x 1080 (HD 1080)   | Energy efficiency class (HDR) *   | Not available   |
| Supported video modes          | 480p, 576p, 720p, 1080p  | Energy consumption (SDR) per 1000 | 12 kWh          |
| Contrast ratio (typical) *     | 1000:1   | hours *                           | 12 KWII         |
| Maximum refresh rate *         | 100 Hz   | Power consumption (typical) *     | 12.1 W          |
| Viewing angle, horizontal      | 178°   | Power consumption (standby) *     | 0.3 W           |
| Viewing angle, vertical        | 178°   | Power consumption (max)           | 28.5 W          |
| Display number of colours *    | 16.7 million colours   | Power consumption (off)           | 0.3 W           |
| Response time (fast)           | 5 ms   | AC input voltage                  | 100 - 240 V     |
| Pixel pitch                    | 0.2745 x 0.2745 mm   | AC input frequency                | 50/60 Hz        |
| Pixel density                  | 93 ppi   | Power supply type                 | Internal        |
| Horizontal scan range          | 30 - 110 kHz   | Energy efficiency scale           | A to G          |
| Vertical scan range            | 50 - 100 Hz  | Operational conditions            |                 |
| Viewable size, horizontal      | 52.7 cm  | Operating temperature (T-T)       | 0 - 40 °C       |
| Viewable size, vertical        | 29.6 cm  | Storage temperature (T-T)         | -20 - 60 °C     |

| Display  |                                   | Operational conditions   |  |
|--|-----------------------------------|--|--|
| Viewable size diagonal<br>Surface hardness<br>NTSC coverage (typical)<br>Dell ComfortView technology                     | 60.5 cm<br>3H<br>72%<br>✓         | Operating relative humidity (H-H)<br>Storage relative humidity (H-H)<br>Operating altitude<br>Non-operating altitude                             | 10 - 80%<br>5 - 90%<br>0 - 5000 m<br>0 - 12192 m                               |
| Performance  |                                   | Weight & dimensions  |  |
| NVIDIA G-SYNC *  AMD FreeSync *  Flicker-free technology  Low Blue Light technology  Windows operating systems supported | X X V Windows 10, Windows 11, Yes | Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) | 538.6 mm<br>211.6 mm<br>485.8 mm<br>4.31 kg<br>538.6 mm<br>53.5 mm<br>324.2 mm |
| Multimedia   |                                   | Weight (without stand)   | 2.81 kg  |
| Number of speakers<br>RMS rated power<br>Built-in speaker(s) *   | 2<br>2 W<br>✓                     | Bezel width (side) Bezel width (top) Bezel width (bottom)  | 5.8 mm<br>5.8 mm<br>1.74 cm  |
| Built-in camera *  | x                                 | Packaging data   |  |
| <b>Design</b> Market positioning *   | Office                            | Package weight<br>Warranty card  | 6.56 kg<br><b>✓</b>  |
| Product colour * Front bezel colour Feet colour  | Black<br>Black<br>Black           | Packaging content Stand included   | ✓<br>UDM   |
| Ports & interfaces   |                                   | Cables included  Quick start guide   | HDMI<br>✓  |
| Built-in USB hub *   | x                                 | HDMI cable length  | 1.8 m  |
| VGA (D-Sub) ports quantity   | 1                                 | Sustainability   |  |
| HDMI * HDMI ports quantity HDMI version DisplayPorts quantity  | 1<br>1.4<br>1<br>1.2              | Sustainability certificates  Doesn't contain   | ENERGY STAR, EPEAT Climate +,<br>EPEAT Gold, TCO<br>Arsenic, Mercury, PVC/BFR  |
|  |                                   | Other features   |  |
| DisplayPort version Headphone out *  | X                                 | Compliance certificates  | RoHS   |
| HDCP   | ✓                                 | Brand-specific features  |  |
| HDCP version   | 1.4                               | Dell Display Manager (DDM) compatibility   | <b>✓</b>   |
| Ergonomics   |                                   |  |  |
| VESA mounting * Panel mounting interface   | 100 x 100 mm                      |  |  |





5397184962435

0884116487456



884116487456

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.