D-Link

D-Link 24-port 10GBASE-T + 4-port 10/25G SFP28 Smart Managed Switch



Brand : D-Link Product code: DXS-1210-28T/M

Product name: D-Link 24-port 10GBASE-T + 4-port

10/25G SFP28 Smart Managed Switch

- Access Control List
- IP-MAC-Port Binding
- Clientless MAC/Web Access Control
- D-Link Safeguard Engine
- Port Security
- ARP Spoofing Prevention

DXS-1210-28T - 24 x 10GBASE-T, 4 x 10/25G SFP28

D-Link 24-port 10GBASE-T + 4-port 10/25G SFP28 Smart Managed Switch. Switch type: Managed, Switch layer: L2/L3. Basic switching RJ-45 Ethernet ports type: 10G Ethernet (100/1000/10000), Basic switching RJ-45 Ethernet ports quantity: 24, Console port: RJ-45. MAC address table: 32000 entries, Switching capacity: 680 Gbit/s. Networking standards: IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3an, IEEE 802.3az, IEEE 802.3z. Rack mounting, Form factor: 1U

| Management features | | Security | |
|---|--|-----------------------------------|---|
| Switch type * | Managed | Access Control List (ACL) rules | 256 |
| Switch layer | L2/L3 | IGMP snooping | ✓ |
| Quality of Service (QoS) support | ✓ | Protocols | |
| Web-based management | ✓ | Management protocols | SNMP v1/v2c/v3 |
| Ports & interfaces | | GARP VLAN Registration Protocol | ✓ |
| Basic switching RJ-45 Ethernet ports quantity * | 24 | (GVRP) Design | |
| Basic switching RJ-45 Ethernet ports type * | 10G Ethernet (100/1000/10000) | Rack mounting * | ✓ |
| 10G Ethernet (copper) ports quantity | 24 | Form factor Product colour | 1U Black |
| Console port | RJ-45 | LED indicators | Activity, Link, Speed |
| SFP28 ports quantity | 4 | Number of fans | 2 fan(s) |
| Network | | Performance | |
| Networking standards * | IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3an, IEEE 802.3az, IEEE 802.3u, IEEE 802.3z | Noise level | 51.9 dB |
| | | Power | |
| Cable types supported | Cat6, Cat6a, Cat7 | AC input voltage | 100 - 240 V |
| Port mirroring | ✓ | Power consumption (max) | 87.3 W |
| Flow control support | ✓ | Power over Ethernet (PoE) | |
| Link aggregation | ✓ | Power over Ethernet (PoE) * | × |
| Auto MDI/MDI-X | ✓ | Operational conditions | |
| Spanning tree protocol | ✓ | Operating temperature (T-T) | -5 - 50 °C |
| VLAN support | ✓ | Storage temperature (T-T) | -20 - 70 °C |
| Number of VLANs | 4094 | Operating relative humidity (H-H) | 0 - 95% |
| Data transmission | | Storage relative humidity (H-H) | 0 - 95% |
| Switching capacity * | 680 Gbit/s | Weight & dimensions | |
| Forwarding rate | 505.92 Mpps | Width | 441 mm |
| MAC address table * | 32000 entries | Depth | 209.5 mm |
| Store-and-forward | ✓ | Height | 44 mm |
| Jumbo frames support | ✓ | Weight | 3.07 kg |
| Jumbo frames | 9000 | Certificates | |
| Security | | Certification | CE Class A FCC Class A VCCI Class A IC BSMI |
| Access Control List (ACL) | ✓ | 10 B3FH | |

| Ou | istics | data |
|-----|--------|------|
| ∟оч | 136163 | uutu |

Harmonized System (HS) code

85176990





790069456800

0790069456800

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.