Viewsonic LS740HD data projector Standard throw projector 5000 ANSI lumens 3LCD 1080p (1920x1080) White

Brand: Viewsonic Product code: LS740HD

Product name: LS740HD

- 3rd generation laser phosphor technology with up to a 30,000-hour lifespan
- 5,000 ANSI Lumens offering bright images in any environment
- Up to 300" ultra large screen with lower cost-per-inch
- Compact size and light weight reducing cost of transportation and installation
- Installation flexibility: 1.3x optical zoom, H/V keystone, 360° projection, and portrait mode Full HD, 4200 ANSI, 3000000:1, 1.07 B, 2, 15W x2, RJ45, HDMI, Audio-out, RS232, USB, 100-240 V, 4.5 kg Viewsonic LS740HD. Projector brightness: 5000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: 1080p (1920x1080). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Fixed focal length: 7.51 mm, Zoom type: Manual. Analog signal format system: NTSC, PAL, SECAM, Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p. Serial interface type: RS-232, HDMI connector type: Full-size, Service port type: USB Type-A





Projector		Features	
Smart projector * Screen size compatibility * Projection distance Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) * Native aspect ratio * Number of colours Horizontal scan range Vertical scan range Keystone correction, horizontal Keystone correction, vertical	X 1016 - 7620 mm (40 - 300") 0.43 - 3.25 m 5000 ANSI lumens 3LCD 1080p (1920x1080) 3000000:1 16:9 1.07 billion colours 15 - 102 kHz 23 - 120 Hz -15 - 15° -15 - 15°	Interactive * Noise level (economic mode) HDCP On Screen Display (OSD) On Screen Display (OSD) languages Number of OSD languages HDCP version	X 29 dB V Danish, German, Hungarian, Arabic, Dutch, Norwegian, English, Indonesian, Swedish, Spanish, Italian, Polish, Thai, Japanese, Portuguese, Turkish, Romanian, Simplified Chinese, Finnish, Korean, Russian, Vietnamese, Traditional Chinese, French, Greek, Czech, Slovak 27 1.4/2.2
Light source		Noise level *	32 dB
Light source type * Service life of light source * Service life of light source (economic mode)	Laser 20000 h 30000 h	Multimedia Built-in speaker(s) * RMS rated power	30 W
Lens system		Number of built-in speakers	2
Focus * Fixed focal length F-number (relative aperture) Zoom capability Zoom type Digital zoom	Manual 7.51 mm 2.8 ✓ Manual 2x	Design Market positioning * Product type * Product colour * Cable lock slot Cable lock slot type	Business Standard throw projector White Kensington
Throw ratio	0.49	Display	
Offset	132%	Built-in display *	×
Video		Power	
Analog signal format system * Full HD * 3D * Supported video modes	NTSC, PAL, SECAM	Power source * Power consumption (typical) * Power consumption (standby) * AC input voltage AC input frequency	AC 245 W 0.5 W 100 - 240 V 50 - 60 Hz
Ports & interfaces		Operational conditions	
HDMI connector type HDMI version	Full-size 2.0	Operating temperature (T-T)	0 - 40 °C

Ports & interfaces		Weight & dimensions	
Service port type	USB Type-A	Width	337 mm
USB 2.0 ports quantity	1	Depth	265 mm
USB 2.0 Type-A ports quantity	1	Height	131.5 mm
Serial interface type *	RS-232	Weight *	2.97 kg
PC Audio out	✓	Package width	400 mm
HDMI ports quantity *	2	Package depth	155 mm
DVI port *	×	Package height	280 mm
AC (power) in	✓	Package weight	5.1 kg
Network		Packaging content	
Smart TV *		Remote control included *	✓
	X	Quick start guide	/
Ethernet LAN *	✓	Warranty card	✓
Ethernet LAN (RJ-45) ports	1	•	-
Wi-Fi *	×	Technical details	
Storage		Image lag time	49.9 ms
Card reader integrated *	×	Logistics data	
		Quantity per pack	1 pc(s)
		Pallet gross length	102 cm
		Pallet gross width	122 cm
		Pallet gross height	181 cm
		Products per master (outer) case	1 pc(s)
		Harmonized System (HS) code	8528620000





766907022605

0766907022605

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.