


LG 98UH5J-H Signage Display Digital signage flat panel 2.49 m (98") LCD Wi-Fi 500 cd/m² 4K Ultra HD Black WebOS 24/7

Brand: LG Product code: 98UH5J-H

Product name: 98UH5J-H

- Appropriate display brightness
- High-performance with webOS
- Conformal coating
- Mobile content management
- IP5x certified design
- Compatible with AV control system

98", UHD, IPS, 3840 x 2160, 16:9, HDMI, USB 2.0 Type A, 2191.8 x 1246.8 x 86.1 mm, 66000 g LG 98UH5J-H. Product design: Digital signage flat panel. Display diagonal: 2.49 m (98"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: WebOS. Product colour: Black





Display		Performance	
LED backlighting type Display diagonal *	Direct-LED 2.49 m (98")	Purpose * On Screen Display (OSD)	Universal ✓
Display technology * LCD Display resolution * 3840 x 2160 pixe Display brightness * 500 cd/m² HD type * 4K Ultra HD Response time 8 ms Contrast ratio (typical) 1200:1	3840 x 2160 pixels 500 cd/m² 4K Ultra HD 8 ms	On Screen Display (OSD) languages	Japanese, Korean, Norwegian, Portuguese, Russian, Swedish, Turkish
Contrast ratio (dynamic)	1000000:1	Operating hours (hours/days)	24/7
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Power consumption (typical) *	420 W
Display number of colours Panel life	1.07 billion colours 50000 h	Power consumption (off)	0.5 W
Native refresh rate	60 Hz	AC input voltage AC input frequency	100 - 240 V 50 - 60 Hz
Haze rate	28%	Heat dissipation	1433 BTU/h
Ports & interfaces		Computer system	1433 610/11
HDMI ports quantity *	3	Internal memory	16 GB
HDMI version	2.2/1.4	Operating system installed	WebOS
HDMI output ports quantity	1	Weight & dimensions	
DVI port *	✓	Display width	2191.8 mm
DVI-D ports quantity	1	Display Width Display depth	86.1 mm
DisplayPorts quantity *	1	Display height	1246.8 mm
USB port *	✓	Display weight	66 kg
USB ports quantity USB connector type	1 USB Type-A	Packaging data	
Ethernet LAN (RJ-45) ports	1	Package width	2342 mm
Audio (L/R) in	1	Package depth	420 mm
Audio (L/R) out	1	Package height	1386 mm
RS-232C	✓	Package weight	99 kg
Remote (IR) input	1	Packaging content	
Audio		Remote control included	✓
Built-in speaker(s) *	✓	Batteries included	/
Design		Cables included	Power
Product design *	Digital signage flat panel		

Design		Operational conditions	
Placement supported * Indoor Orientation Horizontal Product colour * Black VESA mounting * ✓ Panel mounting interface 800 x 400 mm Bezel width (bottom) 1.49 cm Bezel width (side) 1.49 cm Bezel width (top) 1.49 cm		Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 10 - 80%
	Certificates		
	Certification	CB/NRTL, NewErP, FCC Class "A"/CE/KC	
		Network	
		Ethernet LAN *	✓
() ()		Wi-Fi *	✓
		Features	
		Heat dissipation (max)	1945 BTU/h
		Other features	
		Quick start guide	✓



8806091848529



0195174042878



195174042878



8806091848550

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.