

GIGABYTE B860M EAGLE PLUS WIFI6E Intel B860 LGA 1851 (Socket V1) micro ATX

Brand : GIGABYTE  
Product code: B860M EAGLE P WIFI6E  
Product name : B860M EAGLE PLUS WIFI6E

LGA1851, 4 x DDR5, 256 GB, 9066 MT/s, 1 x HDM, 2 x DisplayPort, 2.5GbE, Wi-Fi 6E, Micro ATX

GIGABYTE B860M EAGLE PLUS WIFI6E Intel B860 LGA 1851 (Socket V1) micro ATX:

Infinite Memory Performance  
D5 Bionic Corsa Technology.

D5 Bionic Corsa  
Advanced AI-enhanced overclocking tech. for DDR5.

Steady Power  
Keeps your computing smooth.


D5 Bionic Corsa  
Advanced AI-enhanced overclocking tech. for DDR5.

Comprehensive Thermal  
Keep your system cool and efficient.

Hassle-free Assembly  
Ultimate DIY-Friendly experience.

Tailored Computing  
More superb, user-friendly, customized BIOS & software.

Born from Ultra Durable™  
Built for longevity and reliability.



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Processor socket *	LGA 1851 (Socket V1)	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1
Compatible processor series *	Intel® Core™ Ultra (Series 1), Intel Core Ultra (Series 2)	Ethernet LAN (RJ-45) ports *	1
Supported processor sockets	LGA 1851	PS/2 ports quantity	1
Memory		HDMI ports quantity *	1
Supported memory types *	DDR5-SDRAM	HDMI version	2.1
Number of memory slots *	4	DisplayPorts quantity	2
Memory slots type	DIMM	DisplayPort version	2.1
Memory channels	Dual-channel	Headphone outputs	1
ECC compatibility	ECC & Non-ECC	Line-in	✓
Supported memory clock speeds	5600, 6400, 6600, 6800, 7000, 7200, 7400, 7800, 7900, 7950, 8000, 8200, 8266, 8400, 8600, 8800, 9066 MHz	Microphone in	✓
Supported memory clock speed (max)	9066 MHz	Network	
Maximum internal memory *	256 GB	Ethernet LAN	✓
Unbuffered memory	✓	Ethernet interface type	2.5 Gigabit Ethernet
Maximum internal memory per slot	64 GB	LAN controller	Realtek RTL8125
Storage controllers		Wi-Fi *	✓
Supported storage drive types	HDD & SSD	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Supported storage drive interfaces *	M.2, SATA III	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Number of HDDs supported	4	WLAN controller model	Realtek RTL8852CE
Number of storage drives supported	6	Bluetooth	✓
RAID support	✓	Bluetooth version	5.3
RAID levels	0, 1, 5, 10		
Graphics			
Parallel processing technology support *	Not supported		
Maximum resolution	4096 x 2160 pixels		
HDCP	✓		

Internal I/O		Features	
USB 2.0 connectors *	2	Motherboard chipset *	Intel B860
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Audio chip	Realtek ALC897
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	Audio output channels *	7.1 channels
Number of SATA III connectors *	4	Product colour	Brown
S/PDIF out connector	✓	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Front panel audio connector	✓	Component for *	PC
Front panel connector	✓	Motherboard form factor *	micro ATX
ATX Power connector (24-pin)	✓	Motherboard chipset family *	Intel
CPU fan connector	✓	Power source type	ATX
Number of CPU fan connectors	2	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Number of chassis fan connectors	2	Expansion slots	
EPS power connector (8-pin)	✓	PCI Express x16 (Gen 4.x) slots	1
Number of EPS power connectors (8-pin)	1	PCI Express x16 (Gen 5.x) slots	1
TPM connector	✓	Number of M.2 (M) slots	2
Serial port headers	1	1st M.2 largest key size	2280
Number of water pump connectors	2	1st M.2 highest PCI Express generation	5.0
RGB LED pin header	✓	2nd M.2 largest key size	2280
Number of RGB LED pin headers	3	2nd M.2 highest PCI Express generation	4.0
Rear panel I/O ports		BIOS	
USB 2.0 ports quantity *	3	BIOS type *	UEFI AMI
		BIOS memory size	256 Mbit
		ACPI version	5.0
		Clear CMOS jumper	✓
		Desktop Management Interface (DMI) version	2.7
		System Management BIOS (SMBIOS) version	2.7
		Weight & dimensions	
		Width	244 mm
		Depth	244 mm
		Packaging content	
		Screws included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.