



## DeepCool CH780 WH Tower White

**Brand :** DeepCool

**Product code:** R-CH780-WHADE41-A-1

**Product name :** CH780 WH

Majestic premium ATX+, Mini-ITX/Micro-ATX/ATX/E-ATX, 3.5"/2.5", 3 Slots, 1× 420 mm ARGB, USB3.0, 3.5 mm, 528 × 250 × 551 mm, 13.7 Kg, White  
 DeepCool CH780 WH. Form factor: Tower, Type: PC, Product colour: White. Power supply location: Bottom, Supported power supply form factors: ATX. Side fans diameters supported: 120,140 mm, Top fans diameters supported: 140,120,180,200 mm, Bottom fans diameters supported: 140,180,120,200 mm. Supported HDD sizes: 2.5,3.5", SSD form factor: 2.5". Width: 250 mm, Depth: 528 mm, Height: 551 mm



Design		Ports & interfaces	
Material	ABS, SPCC, Tempered glass	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4
Form factor *	Tower	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Type *	PC	Combo headphone/mic port	✓
Product colour *	White	<b>Cooling</b>	
Supported motherboard form factors *	ATX, micro ATX, Mini-ATX, EATX	Number of side fans supported (max)	3
Number of 3.5" bays *	2	Side fans diameters supported	120,140 mm
Number of 2.5" bays	3	Number of top fans supported (max)	3
Number of internal 3.5" bays	2	Top fans diameters supported	140,120,180,200 mm
Number of expansion slots	3	Number of bottom fans supported (max)	3
Side window	✓	Bottom fans diameters supported	140,180,120,200 mm
Suitable for	Gaming	Side radiator sizes supported	120,240,360,140,280,420 mm
Illumination	✓	Bottom radiator sizes supported	120,240,360,140,280,420 mm
Illumination colour	Multi	Top radiator sizes supported	120,240,360,140,280,420 mm
Illumination location	Case fans	<b>Storage</b>	
Tempered glass panel(s)	✓	Supported HDD sizes *	2.5,3.5"
Anti-dust filter	✓	SSD form factor	2.5"
Cable management	✓	<b>Weight &amp; dimensions</b>	
On/off button	✓	Width	250 mm
LED indicators	✓	Depth	528 mm
Maximum CPU cooler height	13.2 cm	Height	551 mm
Maximum graphics card length	48 cm	Weight	13.7 kg
Maximum PSU length	18 cm		
Power supply			
Power supply included *	✗		
Power supply location	Bottom		
Supported power supply form factors	ATX		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-JUN-2025. Prints or copies of Information are only valid on the printed Publication date