GIGABYTE Z890 AORUS PRO ICE Motherboard - Supports Intel Core Ultra (Series 2) CPUs, 16+1+2 phases VRM, up to 9500MHz DDR5 (OC), 1xPCIe 5.0 + 4xPCIe 4.0, Wi-Fi 7, 5GbE LAN, Thunderbolt 4

Brand : GIGABYTE

Product code: Z890 AORUS PRO ICE





Product name : Z890 AORUS PRO ICE Motherboard -Supports Intel Core Ultra (Series 2) CPUs, 16+1+2 phases VRM, up to 9500MHz DDR5 (OC), 1xPCIe 5.0 + 4xPCIe 4.0, Wi-Fi 7, 5GbE LAN, Thunderbolt 4

- Digital 16+1+2+1 Phases 90A SPS VRM with Tantalum Polymer Capacitor
- Reinforced PCIe UD Slot X PCIe 5.0 with PCIe EZ-Latch Plus Design
- PCIe M.2 design (Up to 25110) with M.2 EZ-Latch Plus & Thermal Guard
- Fully Covered MOSFET Heatsinks with heatpipe/M.2 EZ-Latch Click Design
- Intel 2x2 Wi-Fi 7 BE200 with WIFI EZ-Plug Design
- 5GbE LAN, THUNDERBOLT 4 Type-C, USB 3.2 Gen2x2 Type-C
- AORUS Exclusive DDR Cooling kit: DDR Wind Blade

Z890 AORUS PRO ICE Motherboard - Supports Intel Core Ultra (Series 2) CPUs, 16+1+2 phases VRM, up to 9500MHz DDR5 (OC), 1xPCle 5.0 + 4xPCle 4.0, Wi-Fi 7, 5GbE LAN, Thunderbolt 4

GIGABYTE Z890 AORUS PRO ICE Motherboard - Supports Intel Core Ultra (Series 2) CPUs, 16+1+2 phases VRM, up to 9500MHz DDR5 (OC), 1xPCIe 5.0 + 4xPCIe 4.0, Wi-Fi 7, 5GbE LAN, Thunderbolt 4:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge

Processor			Network	
Processor manufacturer *		Intel	Ethernet LAN	1
Processor socket *		LGA 1851 (Socket V1)	Ethernet interface type	5 Gigabit Ethernet
Compatible processor series *		Intel Core Ultra (Series 2)	Wi-Fi *	1
Supported processor sockets		LGA 1851	Top Wi-Fi standard	Wi-Fi 7 (802.11be)
Maximum internal memory supported by processor		256 GB	Wi-Fi standards	Wi-Fi 7 (802.11be)
Memory			WLAN controller model	Intel Wi-Fi 7 BE200
Supported memory types * Number of memory slots * Memory slots type Memory channels	DDR5-SDRAM 4 DIMM Dual-channel		Bluetooth	1
			Bluetooth version	5.4
ECC compatibility Supported memory clock speeds	Non-ECC 5600,5800,6000,6200,6400,6600,6 MHz	800,7000,7200,7400,7600,7800,7900,7950,8000,8200,8266,8400,8600,9500	• Features	
Supported memory clock speed (max)	9500 MHz 256 GB		Motherboard chipset *	Intel Z890
Maximum internal memory * Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 2	24GB, 32GB, 40GB, 48GB, 64GB	Audio chip	Realtek ALC1220
Storage controllers			Audio output channels *	7.1 channels
Supported storage drive types Supported storage drive interfaces * Number of HDDs supported Number of storage drives supported RAID support RAID levels Graphics On-board graphics card		9	Product colour PC health monitoring Component for * Motherboard form factor * Motherboard chipset family * Windows operating systems supported Expansion slots PCI Express x16 (Gen 4.x) slots PCI Express x16 (Gen 5.x) slots	White Fan, Temperature, Voltage PC ATX Intel Windows 11 x64 2 1
DirectX version Internal I/O		12.0	Number of M.2 (M) slots	5
USB 2.0 connectors * 2		BIOS		
USB 3.2 Gen 1 (3.1 Gen 1) connectors *		1	BIOS type * BIOS memory size	UEFI AMI 256 Mbit
USB 3.2 Gen 2x2 connectors		1	ACPI version	5.0
Number of SATA III connectors * Total number of SATA connectors		4 4	Clear CMOS jumper	٠

Internal I/O		BIOS	
ATX Power connector (24-pin)	 Image: A second s	Clear CMOS button	✓
EPS power connector (8-pin)	1	Desktop Management Interface (DMI) version	2.7
Number of EPS power connectors (8-pin)	2	System Management BIOS (SMBIOS) version	2.7
TPM connector			
12V power connector		Logistics data	
RGB LED pin header	1	Country of origin Products per shipping (inner) case	China 1 pc(s)
Rear panel I/O ports		Battery	
USB 2.0 ports quantity *	4	•	_
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Battery weight Lithium weight per battery	3 g 0.07 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Number of battery cells	1 Lithium-Manganese Dioxide
Ethernet LAN (RJ-45) ports *	1	Battery technology	(LiMnO2)
HDMI ports quantity *	1	Battery type	CR2032
DisplayPorts quantity	2	Packaging data	
Microphone in	 Image: A set of the set of the	Package width	335 mm
S/PDIF out port	✓	Package depth	270 mm
Thunderbolt ports quantity	2	Package height	80 mm
		Package weight	2.55 kg
	Weight & dimensions		
		Width	305 mm
		Depth	244 mm

Height

Packaging content Batteries included

Bundled software

Other features

Technical details Warranty period

Weight

35 mm

2.27 kg

3 year(s)

Norton® Internet Security (OEM version) LAN bandwidth

management software

✓



4719331864712

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.