DELL Pro E2426H computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black



Brand : DELL **Product family:** Pro **Product code:** DELL-E2426H

Product name : E2426H

- 60.5cm (23.8") Full HD 1920 x 1080 Edge LED IPS
- 8ms, 16:9, 300cd/m², 1000:1
- VGA, HDMI, DisplayPort

60.5cm (23.8") Full HD 1920 x 1080 Edge LED IPS, 16:9, 300cd/m², 16.7M, 8ms, 178°/178°, 1000:1

DELL Pro E2426H computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black:

Get the essentials to enhance productivity with this 23.8-inch fixed-stand monitor certified by TÜV Rheinland® for 3-star eye comfort.
DELL Pro E2426H. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black

Display	
Display diagonal *	60.5 cm (23.8")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	IPS
LED backlight	✔
Backlight type	Edge LED
Touchscreen *	✘
Display brightness (typical)	300 cd/m²
Response time *	8 ms
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	✔
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 720 (HD 720), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080)
Supported video modes	480p, 576p, 720p, 1080p
Contrast ratio (typical) *	1000:1
Maximum refresh rate *	120 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Response time (fast)	5 ms
Pixel pitch	0.2745 x 0.2745 mm
Pixel density	93 ppi
Horizontal scan range	30 - 83 kHz
Vertical scan range	48 - 76 Hz
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm

Ports & interfaces	
HDCP	✔
HDCP version	1.4

Ergonomics	
VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✘
Tilt adjustment	✔
Tilt angle range	-5 - 21°

Power	
Energy efficiency class (SDR) *	C
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	12 kWh
Power consumption (typical) *	11.8 W
Power consumption (standby) *	0.3 W
Power consumption (max)	31 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	0.7 A
Power supply type	Internal
Energy efficiency scale	A to G

Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m

Display	
Viewable size diagonal	60.5 cm
Digital horizontal frequency	31 - 140 kHz
Digital vertical frequency	48 - 120 Hz
Display diagonal (metric)	60.45 cm
Surface hardness	3H
NTSC coverage (typical)	72%

Performance	
NVIDIA G-SYNC *	✗
AMD FreeSync *	✗
Flicker-free technology	✓
Low Blue Light technology	✓

Multimedia	
Built-in speaker(s) *	✗
Built-in camera *	✗

Design	
Market positioning *	Office
Product colour *	Black
Front bezel colour	Black
Feet colour	Black

Ports & interfaces	
Built-in USB hub *	✗
VGA (D-Sub) ports quantity	1
HDMI *	✓
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone out *	✗

Operational conditions	
Non-operating altitude	0 - 12190 m

Weight & dimensions	
Width (with stand)	538.6 mm
Depth (with stand)	171 mm
Height (with stand)	412.3 mm
Weight (with stand)	2.93 kg
Width (without stand)	538.6 mm
Depth (without stand)	47.7 mm
Height (without stand)	315.6 mm
Weight (without stand)	2.63 kg
Bezel width (side)	5.8 mm
Bezel width (top)	5.8 mm
Bezel width (bottom)	1.33 cm

Packaging data	
Package weight	4.52 kg

Packaging content	
Stand included	✓
Cables included	Power

Sustainability	
Sustainability certificates	California Energy Commission (CEC), EPEAT Climate +, ENERGY STAR, ErP, TCO, EPEAT
Doesn't contain	Brominated Flame Retardant (BFR), PVC, Arsenic, Mercury

Other features	
Packaging content	C13 Power Cord T10 (Euro)
Compliance certificates	GS mark, RoHS, WEEE, REACH



0884116701163



884116701163



5397321042457

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 24-OCT-2026. Prints or copies of Information are only valid on the printed Publication date