

TP-Link Archer AX53 wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) Black

Brand : TP-Link Product family: Archer Product code: ARCHER AX53

Product name: Archer AX53

TP-Link Archer AX53. WAN connection type: RJ-45. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 6 (802.11ax), WLAN data transfer rate (max): 2402 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 1000 Mbit/s, Cabling technology: 10/100/1000Base-T(X). Security algorithms: WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3. Supported network protocols: IPv4, IPv6





WAN connection		Protocols	
Ethernet WAN *	1	DHCP client	1
DSL WAN *	×	DHCP server	✓
SIM card slot *	×	Universal Plug and Play (UPnP)	✓
3G/4G USB modem compatibility *	×	Supported network protocols	IPv4, IPv6
WAN connection type	RJ-45	Design	
Wireless LAN features		Product colour	Black
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	On/off switch	✓
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax) 2402 Mbit/s 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) 574 Mbit/s	Product type *	Tabletop router
WLAN data transfer rate (max) *		Certificates	
Wi-Fi standards		Compliance certificates	CE, RoHS
		Packaging content	
WLAN data transfer rate (first band) WLAN data transfer rate (second band)		Cables included	LAN (RJ-45)
	2402 Mbit/s	AC adapter included	✓
Network		Quick installation guide	✓
Ethernet LAN *	✓	Sustainability	
Ethernet LAN interface type *	10/100/1000Base-T(X) ✓	Sustainability compliance	✓
Ethernet LAN data rates		Antenna	
Cabling technology		Antenna design *	External
Port forwarding		Antennas quantity	4
Port triggering		Features	
Dynamic DNS (DDNS)		Built-in processor	1
Number of guest networks (2.4 GHz)		Processor cores	2
Number of guest networks (5 GHz)	1	Works with Amazon Alexa	✓
VPN server	OpenVPN, PPTP VPN	Firmware upgradeable	✓

Ports & interfaces		Power	
Ethernet LAN (RJ-45) ports *	4	Power source type *	DC
USB port *	×	Output voltage	12 V
Management features		Output current	2 A
Quality of Service (QoS) support	·	External power adapter	✓
Reset button		Operational conditions	
WPS push button	✓	Operating temperature (T-T)	0 - 40 °C
Intelligent Mesh technology	/	Storage temperature (T-T)	-40 - 70 °C
3,		Operating relative humidity (H-H)	10 - 90%
Security		Storage relative humidity (H-H)	5 - 90%
Security algorithms	Enterprise, WPA3	System requirements	
Firewall		Browser supported	Internet Explorer 11+, Firefox 12.0+, Chrome 20.0+, Safari 4.0+
DoS attack prevention		Weight & dimensions	
Parental control		Width	260.2 mm
Filtering		Depth	135 mm
DMZ support		Height	41.6 mm
Network address translation (NAT)		Packaging data	
		Package width	330 mm
		Package depth	240 mm
		Package height	73 mm
		Package weight	720 g
		Number of products included	1 pc(s)



4897098683088

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.