


GIGABYTE B650M AORUS ELITE AX ICE Motherboard - AMD Ryzen 9000 Series CPUs, 12+2+2 Phases VRM, up to 8000MHz DDR5 (OC), 1xPCIe 5.0 + 1xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2x2

Brand : GIGABYTE

Product code: B650M AORUS ELITE AX ICE




Product name : B650M AORUS ELITE AX ICE Motherboard - AMD Ryzen 9000 Series CPUs, 12+2+2 Phases VRM, up to 8000MHz DDR5 (OC), 1xPCIe 5.0 + 1xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2x2

B650M AORUS ELITE AX ICE Motherboard - AMD Ryzen 9000 Series CPUs, 12+2+2 Phases VRM, up to 8000MHz DDR5 (OC), 1xPCIe 5.0 + 1xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2x2

[GIGABYTE B650M AORUS ELITE AX ICE Motherboard - AMD Ryzen 9000 Series CPUs, 12+2+2 Phases VRM, up to 8000MHz DDR5 \(OC\), 1xPCIe 5.0 + 1xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2x2:](#)

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	Line-in	✓
Processor socket *	Socket AM5	S/PDIF out port	✓
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	Digital audio optical out	1
Supported processor sockets	Socket AM5	WiFi-AP antenna jack	2
Memory		Network	
Supported memory types *	DDR5-SDRAM	Ethernet LAN	✓
Number of memory slots *	4	Ethernet interface type	2.5 Gigabit Ethernet
Memory slots type	DIMM	LAN controller	Realtek RTL8125
Memory channels	Dual-channel	WiFi *	✓
ECC compatibility	Non-ECC	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Supported memory clock speeds	4400, 4800, 5200, 5600, 6000, 6200, 6400, 6600, 6666, 6800, 7000, 7200, 7600, 7800, 8000 MHz	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Supported memory clock speed (max)	8000 MHz	WLAN controller model	Realtek RTL8852CE
Maximum internal memory *	256 GB	Bluetooth	✓
Unbuffered memory	✓	Bluetooth version	5.3
Maximum internal memory per slot	64 GB	Features	
Storage controllers		Motherboard chipset *	AMD B650
Supported storage drive types	HDD & SSD	Audio chip	Realtek ALC897
Supported storage drive interfaces *	M.2, SATA III	Audio output channels *	7.1 channels
Number of HDDs supported	4	Product colour	White
Number of storage drives supported	6	PC health monitoring	Fan, Temperature, Voltage, Water cooling
RAID support	✓	Component for *	PC
RAID levels	0, 1, 10	Motherboard form factor *	micro ATX
Graphics		Motherboard chipset family *	AMD
Parallel processing technology support *	Not supported	Power source type	ATX
Maximum resolution	4096 x 2304 pixels		
HDCP	✓		
DirectX version	12.0		
Discrete graphics support	✓		

Internal I/O		Features	
USB 2.0 connectors *	2	Windows operating systems supported	Windows 10 x64, Windows 11 x64
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Expansion slots	
USB 3.2 Gen 2x2 connectors	1	PCI Express x16 (Gen 4.x) slots	2
Number of SATA III connectors *	4	Number of M.2 (M) slots	2
Front panel audio connector	✓	1st M.2 largest key size	25110
Front panel connector	✓	1st M.2 highest PCI Express generation	5.0
ATX Power connector (24-pin)	✓	2nd M.2 largest key size	25110
CPU fan connector	✓	2nd M.2 highest PCI Express generation	4.0
Number of CPU fan connectors	2	BIOS	
Number of chassis fan connectors	4	BIOS type *	UEFI AMI
TPM connector	✓	BIOS memory size	256 Mbit
Serial port headers	1	ACPI version	5.0
12V power connector	✓	Clear CMOS jumper	✓
Number of water pump connectors	2	Desktop Management Interface (DMI) version	2.7
RGB LED pin header	✓	System Management BIOS (SMBIOS) version	2.7
Number of RGB LED pin headers	5	Logistics data	
Rear panel I/O ports		Country of origin	China
USB 2.0 ports quantity *	4	Products per shipping (inner) case	1 pc(s)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	5	Battery	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Battery weight	3 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Lithium weight per battery	0.07 g
Ethernet LAN (RJ-45) ports *	1	Number of battery cells	1
HDMI ports quantity *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO ₂)
HDMI version	2.1	Battery type	CR2032
DisplayPorts quantity	1	Packaging data	
DisplayPort version	1.4	Package width	270 mm
Headphone outputs	1	Package depth	268 mm
		Package height	68 mm
		Package weight	1.89 kg
		Weight & dimensions	
		Width	244 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331859336



0889523040348



889523040348

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.