

Brother PJ822 203 x 200 DPI Wired Direct thermal Mobile printer

Brand : Brother **Product code:** PJ-822

Product name: PJ822

Mobile Thermal Printer, A4, 256MB RAM, 203 dpi, 13.5 ppm, USB, 255(W) x 55(D) x 30(H) mm, 480 g

Brother PJ822 203 x 200 DPI Wired Direct thermal Mobile printer:

Print quotations, invoices, and other reports whilst on the move and streamline the work of field sales, field service, logistics, delivery and the emergency service sectors.

The PJ-822 with its USB connectivity offers a mobile A4 print solution compact enough to fit easily into a briefcase or computer bag, but that can also be permanently installed in vehicles.

Thermal print technology at 203x200dpi produces crisp text at a print speed of up to 13.5 pages per minute.

Compatible with a wide range of mobile and desktop operating systems, the PJ-822 can easily be integrated into your own apps and software using the various SDK's (Software Development Kits) available. Also supports a variety of printer command languages, including ZPL2 emulation.





Printing		System requirements	
Maximum resolution Printing characters Print technology * Type *	203 x 200 DPI 2D barcode, Barcode, Text Direct thermal Mobile printer	Mac compatibility Mac operating systems supported Mobile operating systems supported Linux operating systems supported	
Paper handling		Weight & dimensions	
Printing media thickness Maximum printing width	160 μm 20.3 cm	Width Depth	170 mm 310 mm
Ports & interfaces		Height	75 mm
USB port *	√ UCD Time C	Weight	582 g
USB connector Connectivity technology *	USB Type-C Wired	Packaging data	
Features	wiicd	Package weight	904 g
reatures		Logistics data	
Built-in barcodes *	2D, AZTECCODE, Code 128 (A/B/C), Code 39, Data Matrix, EAN128, EAN13, EAN8, GS1 DataBar, ITF, Industrial 2/5, MSI, MaxiCode, Micro QR Code, MicroPDF417, PDF417, POSTNET, QR Code, Standard 2/5, UPC-A, UPC-E	Products per pallet Pallet gross height Pallet gross weight Master (outer) cases per pallet Layers per pallet	240 pc(s) 16.3 cm 234 kg 48 pc(s) 8 pc(s)
Internal memory *	256 MB	Technical details	
Flash memory Country of origin	64 MB China	Master (outer) cases per pallet layer Pallet type	6 pc(s) 800 x 1200 mm
Design			
Product colour *	Black		
Built-in display	×		
Power			
Power source type *	USB		

System requirements

Windows operating systems supported



4977766820561



0012502669883



012502669883



4977766820578

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.