



MAINSTREAM COMPUTING FOR A VARIETY OF BUSINESS USES



The ThinkCentre M7 Series Tiny offers full desktop computing performance in an ultra-small design, with the latest enterprise security features.

ThinkCentre M75q Gen 2

Smarter
technology
for all

Lenovo

A micro-desktop packed with connectivity options and security features. Because of its compact 1L size, this device can be placed on or under a desk, behind a monitor or wall-mounted. It comes with Smart Power-On which enables the PC to be started via a keyboard shortcut, useful when the device is out of comfortable reach. Multitasking is easy with high-speed M.2 SSD storage, DDR4 memory, and support for up to 3 independent displays.



REASONS TO BUY

Improve data and device security with a range of features including data encryption technologies, Smart USB protection that can block data transfers, chassis intrusion switch and a Kensington lock slot to tether the device.

There are 6 USB ports including one full-function Type-C port which allows users to connect storage devices, power smartphones and connect to displays using one interchangeable cable.

Save money and reduce your environmental impact with this energy-efficient device which has Energy Star® 8.0 and EPEAT® Gold certifications.

ThinkCentre M75q Gen 2

KEY SPECIFICATIONS

Processor	Up to AMD Ryzen 7 Pro processor
Operating System	Powered by Windows 10 Pro
Graphics	AMD Radeon graphics in processor
Memory	Up to 64GB DDR4-3200
Storage	Internal storage: up to 1x 2.5" 1TB SATA HDD M.2 SSD: up to 1x 1TB M.2 PCIe NVMe
Optical	Optional external ODD box with DVD or DVD burner
Power Supply	One of the following 65W 89% Adapter 90W 89% Adapter
Dimensions	Width: 179mm (7.0") Depth: 183mm (7.2") Height: 37mm (1.5") with rubber feet
Weight	starting at 1.25kg (2.76lb)

GREEN CERTIFICATIONS

EPEAT Gold (on some models), Energy Star 8.0

OTHER CERTIFICATIONS

MIL-STD-810H military testing; TUV low noise / ultra low noise verified (on some models)

CONNECTIVITY

Front I/O	1x USB 3.2 Gen 2 (Always On and fast charge), 1x USB-C 3.2 Gen 1, 1x headphone / microphone combo jack (3.5mm)
Rear I/O	2x USB 3.2 Gen1, 2x USB 2.0, 1x ethernet (RJ-45), 1x DisplayPort, 1x HDMI
Optional Rear Ports	One of the following 1x DP 1x DP + 1x Serial 1x Dual DP 1x HDMI 1x Serial 1x Serial + 1x USB-C 3.2 Gen1 1x USB-C 3.2 Gen1 1x VGA 1x VGA + 1x Serial 2x Serial
WLAN + Bluetooth	One of the following Intel 9260 11ac, 2x2 + BT5.1 Intel AX200 11ax, 2x2 + BT5.1 RTL8822CE 11ac, 2x2 + BT5.0
Ethernet	Integrated 100/1000M

SECURITY & PRIVACY

Chassis Intrusion Switch
Kensington lock slot
Padlock slot
Smart USB protection
Hardware TPM

MANAGEABILITY

DASH

OPTIONAL MECHANICAL PERIPHERALS

Tiny Dust filter
Tiny I/O expansion box
Tiny-in-One
Tiny VESA mount

Recommended for this device



ThinkCentre Tiny IV DVD Burner Kit

External USB DVD reader & burner

Can be secured to a ThinkCentre Tiny PC using the ThinkCentre Tiny VESA Mount II (sold separately)

Uses SATA interface for speedy execution



Lenovo Professional Ultraslim Wireless Combo

Ultraslim contemporary design just 12mm (0.47") thin

3-button mouse with up to 3200 adjustable DPI resolution

2.4 GHz wireless connection using nano USB dongle



Asset Recovery

We pay up-front for your old equipment

We repair and re-market your hardware where possible

Includes secure destruction of your data

Information presented here may represent the maximum possible configurations for this product, but it does not necessarily reflect what is available in your region. Please ask your rep or check the specifications for specific Part Numbers in your region. © 2020 Lenovo. Products are available while supplies last. Lenovo is not responsible for photographic or typographic errors. Lenovo, the Lenovo logo, ThinkPad, ThinkCentre, ThinkBook, ThinkStation and ThinkVision are trademarks or registered trademarks of Lenovo. 3rd party product and service names may be trademarks of others. Depending on factors such as the processing capability of peripheral devices, file attributes, system configuration and operating environments, the actual data transfer rate of USB connectors will vary and is typically slower than published standards.