

## KYOCERA ECOSYS MA3500cifx Laser A4 1200 x 1200 DPI 35 ppm

**Brand :** KYOCERA

**Product family:** ECOSYS

**Product code:** 1102Z33AU0

**Product name :** MA3500cifx

- Double-sided print, copy, scan and fax
  - Data overwrite and encryption, Trusted Platform Module, S/MIME and TLS 1.3
  - HyPAS™ solution platform enables powerful customisations
  - Strengthen affinity with Microsoft Universal Print
- A4, 35 ppm, Cortex-A9 Dual core 1.2 GHz, 1.5GB, USB 2.0, LAN, 532 W, 38 kg



### KYOCERA ECOSYS MA3500cifx Laser A4 1200 x 1200 DPI 35 ppm:

The ECOSYS MA3500cifx is an ideal option for medium to larger-sized work groups.  
 KYOCERA ECOSYS MA3500cifx. Print technology: Laser, Printing: Colour printing, Maximum resolution: 1200 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 35 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Colour faxing. Duplex functions: Copy, Fax, Print, Scan. Maximum ISO A-series paper size: A4. Product colour: Black, White

Printing		Paper handling	
Print technology *	Laser	Maximum ISO A-series paper size *	A4
Printing *	Colour printing	ISO A-series sizes (A0...A9) *	A4, A5, A6
Duplex printing *	✓	ISO B-series sizes (B0...B9)	B5, B6
Maximum resolution *	1200 x 1200 DPI	Non-ISO print media sizes	Folio, Legal, Letter
Print speed (black, normal quality, A4/US Letter) *	35 ppm	Ports & interfaces	
Print speed (colour, normal quality, A4/US Letter)	35 ppm	USB port	✓
Duplex print speed (black, normal quality, A4/US Letter)	17.5 ppm	USB 2.0 ports quantity	2
Duplex print speed (colour, normal quality, A4/US Letter)	17.5 ppm	Network	
Warm-up time	26 s	Wi-Fi *	✗
Time to first page (black, normal)	5.7 s	Ethernet LAN *	✓
Copying		Ethernet LAN data rates	10,100,1000 Mbit/s
Duplex copying *	✓	Performance	
Copying *	Colour copying	Internal memory *	1500 MB
Maximum copy resolution *	600 x 600 DPI	Built-in processor	✓
Time to first copy (black, normal)	6.6 s	Processor frequency	1200 MHz
Maximum number of copies	999 copies	Processor cores	2
Copier resize	25 - 400%	Sound pressure level (printing)	51 dB
N-in-1 copy function	✓	Sound pressure level (standby)	30 dB
N-in-1 copy function (N=)	2, 4	Design	
ID-card copy function	✓	Product colour *	Black, White
Scanning		Market positioning *	Workgroup
Duplex scanning *	✓	Built-in display *	✓
Scanning *	Colour scanning	Display diagonal	17.8 cm (7")
Optical scanning resolution *	600 x 600 DPI	Control type	Touch
Scan to	E-mail, FTP, SMB, USB	Colour display	✓
Fax		Power	
Duplex faxing	✓	Power consumption (printing)	532 W
Faxing *	Colour faxing	Power consumption (copying)	547 W
Modem speed	33.6 Kbit/s	Power consumption (ready)	84 W
Fax memory	256 pages	Power consumption (sleep)	0.6 W
Features		AC input voltage	220 - 240 V
Maximum duty cycle *	100000 pages per month	AC input frequency	50/60 Hz
		System requirements	
		Windows operating systems supported	✓

Features		System requirements	
Duplex functions *	Copy, Fax, Print, Scan	Mac operating systems supported	Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Number of print cartridges *	4		
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	PCL 5c, PCL 6, PCL XL, PCLm, PDF, PostScript 3, XPS	Weight & dimensions	
Input & output capacity		Width	480 mm
Total number of input trays *	1	Depth	577.5 mm
Total input capacity *	300 sheets	Height	575 mm
Total output capacity *	250 sheets	Weight	39 kg
Multi-Purpose tray	✔	Packaging data	
Multi-Purpose tray input capacity	110 sheets	Package width	623 mm
		Package depth	728 mm
		Package height	789 mm
		Package weight	51 kg

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.