



DELL Pro E2726HS computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product family: Pro

Product code: DELL-E2726HS

Product name : E2726HS

- 68.6cm (27") Full HD 1920 x 1080 IPS
- 8ms, 16:9, 300cd/m², 1000:1
- VGA, HDMI, DisplayPort
- 68.6cm (27") Full HD 1920 x 1080 IPS, 16:9, 300cd/m², 16.7M, 8ms, 178°/178°, 1000:1

DELL Pro E2726HS computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black:

Get the essentials to enhance productivity with this 27-inch height-adjustable monitor certified by TÜV Rheinland® for 3-star eye comfort.

DELL Pro E2726HS. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Panel mounting interface	100 x 100 mm
Display resolution *	1920 x 1080 pixels	Cable management	✓
HD type *	Full HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LCD	Adjustable height (max)	13 cm
Panel type *	IPS	Pivot	✓
LED backlight	✓	Pivot angle	-90 - 90°
Touchscreen *	✗	Swivelling	✓
Display brightness (typical)	300 cd/m ²	Swivel angle range	-173 - 173°
Response time *	8 ms	Tilt adjustment	✓
Response time measurement type	GTG (Gray to Gray)	Tilt angle range	-5 - 21°
Anti-glare screen	✓	On Screen Display (OSD)	✓
Screen shape *	Flat	Plug and Play	✓
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 1200 (UXGA), 1600 x 900, 1920 x 1080 (HD 1080)	Power	
Supported video modes	480p, 576p, 720p, 1080p	Energy efficiency class (SDR) *	D
Contrast ratio (typical) *	1000:1	Energy efficiency class (HDR) *	Not available
Maximum refresh rate *	100 Hz	Energy consumption (SDR) per 1000 hours *	17 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	16.9 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.3 W
Display number of colours *	16.7 million colours	Power consumption (max)	38 W
Response time (fast)	5 ms	Power consumption (off)	0.3 W
Pixel pitch	0.3114 x 0.3114 mm	AC input voltage	100 - 240 V
Pixel density	82 ppi	AC input frequency	50/60 Hz
Horizontal scan range	30 - 83 kHz	Input current	1.5 A
Vertical scan range	48 - 76 Hz	Power supply type	Internal
Viewable size, horizontal	59.8 cm	Energy efficiency scale	A to G
Viewable size, vertical	33.6 cm	Operational conditions	
Digital horizontal frequency	30 - 110 kHz	Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-20 - 60 °C

Display		Operational conditions	
Digital vertical frequency	48 - 100 Hz	Operating relative humidity (H-H)	10 - 80%
Surface hardness	3H	Storage relative humidity (H-H)	5 - 90%
NTSC coverage (typical)	72%	Operating altitude	0 - 5000 m
Performance		Non-operating altitude	5000 - 12192 m
NVIDIA G-SYNC *	✗	Weight & dimensions	
AMD FreeSync *	✗	Width (with stand)	610.7 mm
Flicker-free technology	✓	Depth (with stand)	211.6 mm
Low Blue Light technology	✓	Height (with stand)	514.6 mm
Multimedia		Weight (with stand)	4.6 kg
Number of speakers	2	Width (without stand)	610.7 mm
RMS rated power	4 W	Depth (without stand)	55.1 mm
Built-in speaker(s) *	✓	Height (without stand)	355 mm
Built-in camera *	✗	Weight (without stand)	3.09 kg
Design		Bezel width (side)	6.4 mm
Market positioning *	Office	Bezel width (top)	6.4 mm
Product colour *	Black	Bezel width (bottom)	1.23 cm
Front bezel colour	Black	Packaging data	
Detachable stand	✓	Package weight	7.1 kg
Feet colour	Black	Packaging content	
Ports & interfaces		Stand included	✓
Built-in USB hub *	✗	Cables included	AC, HDMI
VGA (D-Sub) ports quantity	1	HDMI cable length	1.8 m
HDMI *	✓	Sustainability	
HDMI ports quantity	1	Sustainability certificates	ENERGY STAR, TCO
DisplayPorts quantity	1	Doesn't contain	Arsenic, Mercury, PVC/BFR
DisplayPort out version	1.4	Other features	
Headphone out *	✗	Compliance certificates	RoHS
HDCP	✓		
HDCP version	1.4		
Ergonomics			
VESA mounting *	✓		




5397321028826




0884116692454




884116692454



2000001411339



0884116700487



884116700487

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.