TP-Link BE9700 wireless router 2.5 Gigabit Ethernet Tri-band (2.4 GHz / 5 GHz / 6 GHz) Black

Brand : TP-Link

Product name : BE9700

Product code: ARCHER BE550 PRO

Wi-Fi 7, 6 GHz, 5 GHz and 2.4 GHz, 1×10 Gbps WAN, 4×2.5 Gbps LAN, 76 × 231.7 × 203 mm TP-Link BE9700. WAN connection type: RJ-45. Wi-Fi band: Tri-band (2.4 GHz / 5 GHz / 6 GHz), Top Wi-Fi standard: Wi-Fi 7 (802.11be), WLAN data transfer rate (max): 9700 Mbit/s. Ethernet LAN interface type: 2.5 Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000,2500 Mbit/s, VPN server: OpenVPN Server, PPTP VPN Server, L2TP VPN Server, WireGuard VPN Server. Product type: Tabletop router, Product colour: Black, LED indicators: LAN, WAN. Compliance certificates: CE, Federal Communications Commission (FCC), RoHS

WAN connection

Ethernet WAN *	✔
DSL WAN *	✘
SIM card slot *	✘
3G/4G USB modem compatibility *	✘
WAN connection type	RJ-45

Wireless LAN features

Wi-Fi band *	Tri-band (2.4 GHz / 5 GHz / 6 GHz)
Top Wi-Fi standard *	Wi-Fi 7 (802.11be)
WLAN data transfer rate (max) *	9700 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)

Network

Ethernet LAN *	✔
Ethernet LAN interface type *	2.5 Gigabit Ethernet
Ethernet LAN data rates	10,100,1000,2500 Mbit/s
Port forwarding	✔
Port triggering	✔
Dynamic DNS (DDNS)	✔
Number of guest networks (2.4 GHz)	1
Number of guest networks (5 GHz)	1

Security

DMZ support	✔

Protocols

DHCP client	✔
DHCP server	✔
Universal Plug and Play (UPnP)	✔

Design

Product colour	Black
LED indicators	LAN, WAN
On/off switch	✔
Product type *	Tabletop router

Certificates

Compliance certificates	CE, Federal Communications Commission (FCC), RoHS

Packaging content

Cables included	LAN (RJ-45)
AC adapter included	✔
Antenna included	✔
Quick installation guide	✔

Sustainability

Sustainability compliance	✔

Network

Number of guest networks (6 GHz)	1
Built-in FTP server	✔
VPN server	OpenVPN Server, PPTP VPN Server, L2TP VPN Server, WireGuard VPN Server

Ports & interfaces

Ethernet LAN (RJ-45) ports *	5
USB port *	✔
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1

Management features

Reset button	✔
WPS push button	✔

Security

Parental control	✔

Antenna

Antenna design *	Internal
Antennas quantity	6

Power

Power source type *	DC
Output voltage	12 V
Output current	3.3 A

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%

Weight & dimensions

Width	76 mm
Depth	231.7 mm
Height	203 mm

Packaging data

Package type	Box
Number of products included	1 pc(s)

0810142822695

810142822695

Catalog Object Cloud