

APC SMTL2200RM2UC uninterruptible power supply (UPS) Line-Interactive 2.2 kVA 1920 W 8 AC outlet(s)

Brand : APC Product code: SMTL2200RM2UC

Product name: SMTL2200RM2UC



Smart-UPS, Lithium-Ion, 2200VA, 120V with SmartConnect Port

APC SMTL2200RM2UC uninterruptible power supply (UPS) Line-Interactive 2.2 kVA 1920 W 8 AC outlet(s):

2U. Certification: CSA C22.2 No 107.1, CULus, FCC part 15 class A, UL 1778, UL 1973

Intelligent and efficient network power protection from entry level to scaleable runtime. Ideal UPS for servers, point-of-sale, routers, switches, hubs and other network devices.

APC SMTL2200RM2UC. UPS topology: Line-Interactive, Output power capacity: 2.2 kVA, Output power: 1920 W. AC outlet types: NEMA 5–15R, NEMA 5–20R, AC outlets quantity: 8 AC outlet(s), Serial interface type: RJ-45. Battery technology: Lithium-Ion (Li-Ion), Typical backup time at full load: 6 min, Typical backup time at half load: 12 min. Form factor: Rackmount, Product colour: Black, Silver, Rack capacity:




Features		Battery			
UPS topology *	Line-Interactive	Typical backup time at half load	12 min		
Output power capacity * 2.2 kVA Output power * 1920 W Waveform * Sine Input operation voltage (min) * 82 V Input operation voltage (max) * 144 V Input frequency * 50/60 Hz Output operation voltage (min) 120 V Output operation voltage (max) 120 V Output frequency 50/60 Hz Output requency 50/60 Hz Output voltage regulation 5% Surge energy rating 530 J Efficiency 96% Noise level 55 dB	1920 W Sine 82 V 144 V 50/60 Hz 120 V	Design			
		Form factor * Rack capacity Product colour * Display type LED indicators International Protection (IP) code	Rackmount 2U Black, Silver LCD ✓ IP20		
		Operational conditions			
	530 J 96%	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	0 - 40 °C -15 - 45 °C 0 - 95% 0 - 95%		
Ports & interfaces			0 - 3000 m		
AC outlet types AC outlets quantity	NEMA 5-15R, NEMA 5-20R 8 AC outlet(s)	Non-operating altitude 0 - 7620 m Certificates			
USB port Serial interface	✓ ✓	Certification	CSA C22.2 No 107.1, CULus, FCC part 15 class A, UL 1778, UL 1973		
Serial interface type	RJ-45	Weight & dimensions			
Ethernet LAN (RJ-45) ports SmartSlot	1	Width Depth	432.1 mm 683 mm		
Battery	Battery		86.1 mm		
Battery technology Typical backup time at full load	Lithium-lon (Li-lon) 6 min	Weight 31.9 kg Packaging data			
		Package width Package depth Package height	600 mm 980.4 mm 254 mm		

_							
0	-	•	ν	~	in		data
г	a	·	Na	ч	ш	ч	uata

Package weight

39.2 kg





731304429098

0731304429098

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.