

APC SMTL2200RM2UC uninterruptible power supply (UPS) Line-Interactive 2.2 kVA 1920 W 8 AC outlet(s)

Brand : APC

Product code: SMTL2200RM2UC

Product name : SMTL2200RM2UC



Smart-UPS, Lithium-Ion, 2200VA, 120V with SmartConnect Port

APC SMTL2200RM2UC uninterruptible power supply (UPS) Line-Interactive 2.2 kVA 1920 W 8 AC outlet(s):

Intelligent and efficient network power protection from entry level to scaleable runtime. Ideal UPS for servers, point-of-sale, routers, switches, hubs and other network devices.

APC SMTL2200RM2UC. UPS topology: Line-Interactive, Output power capacity: 2.2 kVA, Output power: 1920 W. AC outlet types: NEMA 5-15R, NEMA 5-20R, AC outlets quantity: 8 AC outlet(s), Serial interface type: RJ-45. Battery technology: Lithium-Ion (Li-Ion), Typical backup time at full load: 6 min, Typical backup time at half load: 12 min. Form factor: Rackmount, Product colour: Black, Silver, Rack capacity: 2U. Certification: CSA C22.2 No 107.1, CULus, FCC part 15 class A, UL 1778, UL 1973



Features

UPS topology *	Line-Interactive
Output power capacity *	2.2 kVA
Output power *	1920 W
Waveform *	Sine
Input operation voltage (min) *	82 V
Input operation voltage (max) *	144 V
Input frequency *	50/60 Hz
Output operation voltage (min)	120 V
Output operation voltage (max)	120 V
Output frequency	50/60 Hz
Output voltage regulation	5%
Surge energy rating	530 J
Efficiency	96%
Noise level	55 dB

Ports & interfaces

AC outlet types	NEMA 5-15R, NEMA 5-20R
AC outlets quantity	8 AC outlet(s)
USB port	✓
Serial interface	✓
Serial interface type	RJ-45
Ethernet LAN (RJ-45) ports	1
SmartSlot	✓

Battery

Battery technology	Lithium-Ion (Li-Ion)
Typical backup time at full load	6 min

Battery

Typical backup time at half load 12 min

Design

Form factor *	Rackmount
Rack capacity	2U
Product colour *	Black, Silver
Display type	LCD
LED indicators	✓
International Protection (IP) code	IP20

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-15 - 45 °C
Operating relative humidity (H-H)	0 - 95%
Storage relative humidity (H-H)	0 - 95%

Operating altitude	0 - 3000 m
Non-operating altitude	0 - 7620 m

Certificates

Certification CSA C22.2 No 107.1, CULus, FCC part 15 class A, UL 1778, UL 1973

Weight & dimensions

Width	432.1 mm
Depth	683 mm
Height	86.1 mm
Weight	31.9 kg


Packaging data

Package width	600 mm
Package depth	980.4 mm
Package height	254 mm

Packaging data

Package weight

39.2 kg



731304429098

0731304429098

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.