



QNAP TS-864EU-RP-8G-US NAS/storage server Rack (2U) Intel® Celeron® N5095 8 GB DDR4 0 TB QNAP Turbo System Black



Brand : QNAP

Product code: TS-864EU-RP-8G-US

Product name : TS-864EU-RP-8G-US

- 2.5GbE connectivity: Up to 5 Gbps transfer speeds can be achieved by setting port trunking with the two built-in 2.5GbE ports
 - HDMI Output: Supports 4K media playback and real-time transcoding
 - PCIe expandability: One PCIe slots allow for installing 2.5/5/10GbE adapters, QM2 cards, or USB 3.2 Gen 2 (10Gbps) expansion cards
 - USB interface: Two USB 3.2 Gen 2 10Gbps ports for faster data transfer
 - Backup and data recovery: Protects PC/Macs, virtual machines, software containers, cloud data, and SaaS services
 - Hybrid cloud applications: Cloud storage gateways realize hybrid cloud applications by working with the cache space reserved on NAS
- 8 x 3.5", Intel Celeron N5105/N5095 2.9GHz, 8 GB SO-DIMM DDR4 (1 x 4 GB), 4GB Flash, LAN, 300W (x2), 100 - 240V, 88.6 x 482.14 x 346.43 mm

Storage		Performance	
Storage drive capacity *	0 GB	Type *	NAS
Storage drive interface *	Serial ATA III	Device class *	Small & Medium Business
Supported storage drive interfaces	Serial ATA II, Serial ATA III	Backup function *	✓
Storage drive sizes supported	2.5,3.5"	Backup features	Cloud, iSCSI LUN
RAID support *	✓	Buzzer	✓
RAID levels	0, 1, 5, 6, 10, 50, 60, JBOD	Multilingual support	✓
Online RAID migration	✓	Snapshot	✓
Online RAID expansion	✓	Management protocols	SNMP v2/3
RAID rebuild	✓	Web-based management	✓
Hot-swap drive bays	✓	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SNMPv2, SNMPv3
Supported file systems	FAT32, HFS+, NTFS, ext3, ext4	Access Control List (ACL)	✓
Storage drives installed *	✗	Reset button	✓
Total installed storage capacity *	0 TB	On/off switch	✓
Number of storage drives supported *	8	Built-in FTP server	✓
Installed storage drive type *	✗	Browser supported	Mozilla Firefox, Microsoft Edge, Google Chrome, Apple Safari
Supported storage drive types *	HDD & SSD	System log	✓
Disk roaming	✓	Hot spare	✓
Processor		S.M.A.R.T. support	✓
Processor manufacturer *	Intel	Software	
Processor family *	Intel® Celeron®	Operating system installed *	QNAP Turbo System
Processor model *	N5095	Operating system version	5.0.0
Processor boost frequency	2.9 GHz	Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8
Processor cores	4	Linux operating systems supported	✓
Processor threads	4	Mac operating systems supported	✓
Number of processors supported	1	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
On-board graphics card model	Intel® UHD Graphics	Other operating systems supported	Android, iOS
Memory		Power	
Internal memory *	8 GB	Power supply location	Built-in
Internal memory type	DDR4	Power supply unit (PSU) capacity	300 W
Maximum RAM supported	16 GB		
Memory slots	2		
Memory form factor	SO-DIMM		
Flash memory	4000 MB		

Network		Power	
Ethernet LAN *	✓	Number of power supply units	2
Ethernet LAN data rates	100,1000,2500 Mbit/s	Redundant power supply (RPS) support	✓
DHCP server	✓	Power consumption (typical)	55.83 W
Jumbo frames support	✓	Power consumption (sleep)	31.742 W
iSCSI support	✓	AC input voltage	100 - 240 V
Wake-on-LAN ready	✓	Fan voltage	12 V
Dynamic DNS (DDNS)	✓	Weight & dimensions	
Ports & interfaces		Width *	482.1 mm
USB port *	✓	Depth *	346.4 mm
USB 2.0 ports quantity	2	Height *	88.6 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Weight	7.9 kg
HDMI ports quantity	1	Package weight	10.5 kg
HDMI version	1.4b	Packaging content	
Ethernet LAN (RJ-45) ports *	2	External power adapter	✗
Concurrent connections	1500	Cables included	AC, LAN (RJ-45)
Design		Power cables quantity	1
Chassis type *	Rack (2U)	Rack mount kit	✓
Cooling type *	Active	Number of screws	56
Product colour	Black	Operational conditions	
Number of fans	2 fan(s)	Operating temperature (T-T)	0 - 40 °C
Fan diameter	8 cm	Operating relative humidity (H-H)	5 - 95%
LED indicators	HDD, LAN, Power, Status	Storage temperature (T-T)	-20 - 70 °C
		Storage relative humidity (H-H)	5 - 95%
		Logistics data	
		Harmonized System (HS) code	84714100

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.