



DELL Pro Max FCT2250 T2 Intel Core Ultra 9 285 32 GB DDR5-SDRAM 1 TB SSD NVIDIA RTX 2000 Ada Windows 11 Pro Tower PC Black



Brand : DELL

Product family: Pro Max

Product code: MHWR5

Product name : FCT2250 T2

- Windows 11 Pro 64-bit
 - Intel Core Ultra 9 285 (36MB Cache)
 - NVIDIA RTX 2000 Ada (16GB GDDR6)
 - 32GB DDR5-SDRAM & 1000GB SSD
- Intel Core Ultra 9 285 (36MB Cache), 32GB DDR5-SDRAM, 1000GB SSD, DVD±RW, Intel Graphics, NVIDIA RTX 2000 Ada (16GB GDDR6), LAN, WLAN, Bluetooth, Windows 11 Pro 64-bit


[DELL Pro Max FCT2250 T2 Intel Core Ultra 9 285 32 GB DDR5-SDRAM 1 TB SSD NVIDIA RTX 2000 Ada Windows 11 Pro Tower PC Black:](#)

Professional-grade AI desktops that unlock maximum performance through cutting-edge CPUs, pro-level GPUs, high-speed storage, and advanced memory.

Exceptional single threaded performance, ideal for professionals who prioritize power over space efficiency.

Processor		Network	
Processor manufacturer *	Intel	Ethernet LAN *	✓
Processor family *	Intel Core Ultra 9	Ethernet LAN data rates	10,100,1000 Mbit/s
Processor generation	Intel Core Ultra (Series 2)	Cabling technology	10/100/1000Base-T(X)
Processor model *	285	LAN controller	Intel® I219-LM
Processor cores	24	Wi-Fi *	✓
Processor threads	24	Top Wi-Fi standard	Wi-Fi 7 (802.11be)
Processor boost frequency	5.6 GHz	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)
Performance cores	8	Antenna type	2x2
Efficient cores	16	Bluetooth	✓
Performance-core Max Turbo Frequency	5.4 GHz	Ports & interfaces	
Efficient-core Max Turbo Frequency	4.6 GHz	USB 2.0 ports quantity *	2
Performance-core base frequency	2.5 GHz	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Efficient-core base frequency	1.9 GHz	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2
Processor cache	36 MB	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Processor cache type	Smart Cache	USB 3.2 Gen 2x2 Type-C ports quantity	2
Number of processors installed	1	Intel® Thunderbolt 4	✓
Processor base power	65 W	Thunderbolt 4 ports quantity	1
Maximum turbo power	182 W	DisplayPorts quantity	2
Neural processor unit (NPU)		DisplayPort version	1.4a
Neural processor unit (NPU)	Intel AI Boost	Ethernet LAN (RJ-45) ports	1
Sparsity support	✓	Combo headphone/mic port	✓
Windows Studio effects support	✓	DC-in jack	✓
AI software frameworks supported by NPU	DirectML, OpenVINO, Windows ML, ONNX RT, WebNN	Number of rear USB ports	6
Total processor performance up to	36 TOPs		
NPU performance up to	13 TOPs		
GPU performance up to	8 TOPs		

Memory		Ports & interfaces	
Internal memory *	32 GB	Number of front USB ports	4
Maximum internal memory *	128 GB	Number of SATA III connectors	4
Internal memory type	DDR5-SDRAM	Expansion slots	
Memory slots	4x DIMM	PCI Express x4 (Gen 3.x) slots	2
Non-ECC	✓	PCI Express x4 (Gen 4.x) slots	1
Storage		PCI Express x16 (Gen 5.x) slots	1
Total storage capacity *	1 TB	Power	
Storage media *	SSD	Power supply *	500 W
Optical drive type *	DVD±RW	Power supply input voltage	90 - 264 V
Number of storage drives installed	1	Power supply input frequency	47/63 Hz
Total SSDs capacity	1 TB	80 PLUS certification	80 PLUS Platinum
Number of SSDs installed	1	Design	
SSD capacity	1 TB	Chassis type *	Tower
SSD memory type	TLC	Volume	32 L
SSD interface	PCI Express	Placement supported	Vertical
NVMe	✓	Cable lock slot	✓
SSD form factor	M.2	Cable lock slot type	Kensington
M.2 SSD size	2280 (22 x 80 mm)	Product colour *	Black
Graphics		Software	
Discrete graphics card *	✓	Operating system architecture	64-bit
Discrete GPU manufacturer	NVIDIA	Operating system installed *	Windows 11 Pro
On-board graphics card *	✓	Display	
Discrete graphics card model *	NVIDIA RTX 2000 Ada	Display included *	✗
Discrete graphics card memory	16 GB	Audio	
Discrete graphics memory type	GDDR6	Audio chip	Realtek ALC3204
Number of discrete graphics cards	1	Audio system	High Definition Audio
On-board GPU manufacturer	Intel	Operational conditions	
On-board graphics card family	Intel® Graphics	Operating temperature (T-T)	0 - 35 °C
On-board graphics card model *	Intel® Graphics	Storage temperature (T-T)	-40 - 65 °C
Graphics card Mini DisplayPort ports quantity	4	Operating relative humidity (H-H)	10 - 90%
Performance		Storage relative humidity (H-H)	0 - 95%
Market positioning	Business	Operating altitude	-15.2 - 3048 m
Motherboard chipset	Intel W880	Non-operating altitude	-15.2 - 10668 m
Trusted Platform Module (TPM)	✓	Operating vibration	0.66 G
Product type *	PC	Non-operating vibration	1.3 G
Trusted Platform Module (TPM) version	2.0	Operating shock	110 G
		Non-operating shock	160 G
		Weight & dimensions	
		Width *	187.7 mm
		Depth *	438 mm
		Height *	387 mm
		Weight *	9.7 kg
		Packaging content	
		Cables included	AC
		Sustainability	
		Sustainability certificates	ENERGY STAR, EPEAT Climate +
		Doesn't contain	PVC/BFR



0884116490906



884116490906

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.